Molecular and Cellular Endocrinology, 82 (1991) 331–338
© 1991 Elsevier Scientific Publishers Ireland, Ltd. 0303-7207/91/$03.50

Key Word Index to Volumes 75–82 (1991)

A431 cell, (79) 1
4-Acetamido-4′-isothiocyanostilbene-2,2′-disulphonic acid, (82) 107
Acetylcholine, (82) 117
Acid secretion, (77) 109
Acrosome reaction, (77) R1
ACTH, (78) 97; (81) 43
β-Actin, (82) R7
Action potential, (82) 293
Activin, (79) 99
Activin A, (77) 167
Acute-phase response, (75) 111
Adenohypophysis, (77) 85
Adenosine 3′,5′-monophosphate, (82) 251
Adenylyl cyclase, (75) 123; (76) 45; (82) C215
Adipocyte, (80) 183
Adipogenic differentiation, (75) R7
Adipose-specific gene, (82) 183
ADP-ribosylation, (75) 123
Adrenal, (75) 101; (80) 21; (81) 43
Adrenal cortex, (75) 149
Adrenalectomy, (82) 33
Adrenaline, (78) 179
Adrenal precursor, (78) C113
Adrenal, rat, (78) 97
α_2-Adrenoceptor, (78) 179
Adrenocortical cell, (77) 217; (81) 33; (81) 127
Adrenocorticotropin, (82) 89
Ageing, (82) 143
Aggregation, (79) C141
Aging, (76) 63; (80) C175
Albumin, (82) 23
Aldosterone secretion, (81) 11
Alkaline phosphatase, (76) 149
Alternative splicing, (76) 181
Aminolevulinate synthase, (80) 177
Androgen, (76) 181; (76) 191; (78) C77; (78) C113; (80) 177
Androgen-binding protein, (75) 37
Androgen insensitivity, (75) 37
Androgen, mechanism of action, (75) 265
Androgen post-translational modification, (80) 65
Androgen receptor, (75) 37; (76) 79; (76) C39
Angiotensin II, (81) 1; (81) 11; (81) 33; (81) 43; (82) 329
Anterior pituitary, (77) 167
Antibody to human isoform, (80) 21
Antiestrogen, (77) 133; (79) C159
Antigenic site, (79) 93
Antiglucocorticoid, (82) 151
Antilactogen binding site, (79) C159
Antipeptide antibody, (75) 149; (79) 13
Antiproliferative effect, (82) 151
Antisense, (79) R9
Anti-thyroid hormone antibody, (79) 93
Apotransferrin, (77) C47
Apterous mutant, (81) 205
Arachidonic acid, (75) 247; (80) C181; (82) 41
Arachidonic acid biosynthesis, (77) 217
Arachidonic acid metabolism, (79) 75
Arginine vasopressin receptor, (79) R21
Aromatase, (75) 1; (78) 25; (79) 99
Aromatase induction, (79) 119
Aromatization, (76) C39
ATP, (79) 147; (82) 81
Atrial natriuretic factor, (82) 251
Atrial natriuretic peptide, (75) 229; (82) 33
Autocrine/paracrine hormones, (79) C125
Autoimmunity, (76) C27

Basement membrane, (82) C203
B-cell membrane potential, (78) 179
Benign prostatic hyperplasia, (78) C77
Beta cell, (82) 303
Binding, (76) 23
Bioactivity, (80) 203
Biosynthesis, (77) 1
Biosynthetic pathway, (77) 1
Biotin, (77) 123
Blattella germanica, (75) 141
Blood–testis barrier, (82) 61
Bone-derived growth factor, (75) C19
Bone growth, prolonged stimulation, (75) C19
Bradykinin, (81) 175
Brain, (76) 23
Brain regulation, (81) 205
Breast cancer, (78) 71
Bumetanide, (82) R1

CA77 cell, (79) 53
CA77 cell line, (82) 51
Ca^{2+} channel, (77) 85
Ca^{2+} entry, (79) 147
Calbindin, (75) 169
Calbindin-D_{28K}, (78) 127
Calbindin-D_{28k} promoter, (75) 57
Calcitonin, (75) 65
Calcitonin mRNA, (79) 45
Calcitonin-secreting cell, (82) 293

Calcium, (75) 49; (77) R1; (78) 79; (78) 187; (79) 45; (79) 129; (81) 53; (82) 81
Calcium binding, (82) 175
Calcium buffering, (78) 79
Calcium channel, (80) C165; (82) 99; (82) 293
Calcium flux, (79) 147
Calcium inflow, (75) 65
Calcium release, (81) 1; (82) 329
Calcium transport, (78) 7
Calcium uptake, (77) 67
Calmodulin, (78) 187; (82) 81
[^{14}C]Aminopyrine uptake, (77) 109
Cancer, (75) 81
Carbamylcholine, (82) 221
Carbenoxolone, (78) C95
Carbohydrate moiety, (80) 33
Carboxypeptidase, (78) 171
Carboxypeptidase H, (78) 171
Cardiac muscle, (77) 67
Cardiovascular function, (82) 229
Casein secretion, (82) 41
Castration, (76) 23
CAT assay: DNaseI footprinting, (81) 81
Cathepsin L, (77) 115
CAT-reporter gene, (80) 139
Cell–cell adhesion, (77) C47
Cell culture, (76) 79; (79) R15
Cell cycle, (82) 11
Cell growth, (76) 201; (78) 137
Cellular signaling, (81) C197
Centrifugal elutriation, (77) 167
c-*fos*, (80) 11
Chaos theory, (82) C209
Characterization, (79) 1
Chimeric protease inhibitor, (82) 51
Chinese hamster ovary cell, (78) 107
Chloride channel, (82) 107
Chloride transport, (82) R1
Cholecalciferol, (76) 201
Cholera toxin, (82) 61
Cholesterol, (77) 97
Choline, (79) 157
Chondrocyte, (75) 229
Chorionic gonadotropin, (79) 21
Cloning, (75) 101; (80) 21; (80) 165
c-*myc*, (78) 61; (82) R7
Cockroach, (75) 141
Coherence therapy, (75) C19
Collagenase, (80) 1
Collagen mRNA, (80) 1
Comparative endocrinology, (79) C133
Complement C3, (81) 105
Constitutive and regulated secretion, (79) C141
Corpora allata, (75) 141; (77) 159
Corpora lutea, (81) 77
Corpus luteum, (79) C125; (80) 91; (80) 147; (82) 207
Corticosterone, (81) 33
Corticosterone methyl oxidation, (78) C119
Corticotropin-releasing factor, (77) 57
Cortisol, (82) 137
Cortisol production, (81) 127
Cretinism, (81) C193
Cryptocrine, (76) C27
C-terminal amidation, (79) 53
Cushing's syndrome, (80) 83
Cyclic adenosine 3′,5′-monophosphate-dependent protein kinase, (82) 251
Cyclic AMP, (75) 49; (75) 123; (75) 197; (76) 201; (77) 91; (77) R7; (78) R7; (78) 155; (78) 179; (80) 11; (80) 53; (80) 193; (81) 11; (81) 33; (82) 61; (82) 137; (82) 183; (82) 207; (82) 229
Cyclic AMP-dependent protein kinase, (77) 91; (80) 91
Cyclic AMP response, (79) 119
Cyclic nucleotide, (78) 187
Cytochalasin B, (77) 149
Cytochrome *P*-450, (78) 25
Cytochrome *P*-450$_{11\beta}$, (78) C119
Cytochrome *P*-450$_{scc}$, (79) 13
Cytokeratin, (76) 135
Cytokine, (75) 265; (82) 303
Cytosolic Ca^{2+} concentration, (77) 193
Cytosolic calcium, (79) 167

Dahl rat, (75) C13
Deamino-D-Arg-vasopressin, (78) C73
Decidua, (75) 71
Deglycosylation, (79) 119; (80) 105
Δ^5-Desaturase, (77) 217
Δ^6-Desaturase, (77) 217
Desensitization, (79) R9; (81) 43; (82) C215
Development, (76) 191; (78) 87
Developmental biology, (76) C27
Dexamethasone, (78) R1; (80) 53; (82) 33
Diabetogenic activity, (78) 45
Diacylglycerol, (79) 29; (79) 139; (81) 53; (82) 221
Dihydrofolate reductase, (78) 107
Dihydrotestosterone, (76) C39; (77) 75
1,25-Dihydroxycholecalciferol, (79) 45
1,25-Dihydroxyvitamin D_3, (75) 163; (77) 67; (78) 7; (78) R1; (78) 127; (81) 25; (82) 229
1,25-Dihydroxyvitamin D_3, CaBP, (75) 169
1α,25-Dihydroxyvitamin D_3 receptor, (75) 57
4,4′-Diisothiocyanostilbene-2,2′-disulphonic acid, (82) 107
$\beta\gamma$-Dimers, (82) C215
Disulfide bond, (79) C133
Disulfide bond formation, (78) 163
DNA binding, (78) C103
DNase I footprinting, (75) 57
Donor site, (81) 155
Dopamine, (79) R1; (81) 11
Down-regulation, (77) R7; (82) 259
Drosophila melanogaster, (81) 205
Dynorphin, (76) 95

Egg shell gland, (75) 169
Endocrine, (77) C57

Endocrine cell systems, (80) C175
Endocrine control, (75) C1
Endocytosis, (76) 89; (78) C89; (81) 165; (82) 159
Endoglycosidase, (78) 137
Endometrium, (75) 81; (78) 229; (79) R15
Endometrium/myometrium, (79) C125
Endothelin, (79) 85
Endothelin-1, (80) 147
Endotoxemia, (82) C209
Energetics, (78) 197
Enzyme structure comparison, (78) 171
Eosinophil chemotaxis, (81) 105
Epidermal growth factor, (75) 247; (76) 135; (77) 199; (81) 95; (82) 137
Epidermal growth factor receptor, (77) 199
Epidermal growth factor receptor mRNA, (75) 229
Episodic, (77) C63
Epithelial, (76) 13
Epitope mapping, (80) 33
Epstein-Barr virus-transformed lymphoblasts, (75) 9
Estradiol, (76) C39; (77) 175; (78) 71; (78) 155; (81) 105; (82) 137
Estradiol receptor mRNA, (76) 173
Estrogen, (78) 61; (78) C103; (78) C113; (79) 65; (82) 1; (82) 11; (82) 215; (82) C203
Estrogen receptor, (75) 157; (75) 205; (77) 133; (78) 61
Estrogen synthetase, (78) 25
Eukaryotic expression, (82) 51
Exocytosis, (76) C33; (80) C165
Exon, 5′ non-coding, (75) 71
Expression, (78) 87

Fatty acids, (82) 23
Fertilization, in vitro, (82) 285
Fetal kidney, (77) 199
Fetal ovary, (80) 75
Fetal uterus, (80) 75
Fetus, (82) 199
Fibroblasts, human, (75) 189
Fluoride, (75) C19
Follicle, (75) R1; (79) 177; (80) 91
Follicle-stimulating hormone, (77) 167; (78) 197; (79) 119; (80) 11; (82) 61; (82) 265
Follicle-stimulating hormone receptor, (78) R7; (82) 259
Follicle-stimulating hormone-suppressing protein, (79) 99
Follitropin, (77) 141
Forskolin, (75) 123; (77) 91
FRTL-5, (78) 221; (82) R25
hFSH-β-subunit, (78) 163
Function, (82) 143
Fura-2, (79) 167

Gastric mucosa, (80) 153
Gastric parietal cell, (77) 109
Gastric ulcer, (78) C95
Gastrin, (77) 109
Gel-retardation analysis, (80) 139
Gene, (80) 177
Gene control, (75) C13
Gene expression, (77) 181; (79) 37
Gene regulation, (80) 41
Gene transcription, (82) R17
Genomic library, (76) 161
Germ cell, (77) 207
Gestation, (77) 115
GH-3 and P3 (rat pituitary) cells, (75) 91
GH cell, (76) 45
GH_4 cell, (78) 55
GH_3 cell, (78) 79; (82) 1
Glandular epithelium, (79) R15
Glandular kallikrein-1, (76) 181; (81) 135
Glomerulosa cell, (81) 11
Glucocorticoid, (75) 111; (80) C171; (81) 185; (82) 89
Glucocorticoid receptor, (80) 127; (80) C171; (82) 151
Glucose, (75) 189
Glucose counterregulation, (79) C147
Glucose homeostasis, (75) C1; (77) 149
Glucose oxidation, (76) 1
Glucose transporter, (75) 133
Glucose uptake, (77) 149
Glycerol 3-phosphate dehydrogenase, (76) 71
Glycolytic intermediate, (78) 187
Glycoprotein, (78) 25; (79) 119
Glycoprotein hormone, (78) 137; (80) 33; (82) 71
Glycoprotein hormone receptor, (82) 71
Glycosylated prolactin, (80) 203
Glycyrrhetinic acid, (78) C95
Glycyrrhiza glabra, (78) 1
Goitre, (82) R1
Gonadal function, developmental and toxicological aspects, (75) 265
Gonadal peptide, (75) 265
Gonadotropin, (76) 105; (78) R7; (78) 211; (79) 37; (79) 119
Gonadotropin mutant β-subunit, (76) 105
Gonadotropin-releasing hormone, (76) 63; (76) 95
Gonadotropin-releasing hormone agonist, (82) 199
Gonadotropin secretion, (79) 75
Gonads, (75) 101
G protein, (75) 123; (75) 197; (76) 45; (78) 33; (79) 65; (82) C215
G protein-coupled receptor, (82) 71
Granulosa cell, (80) 11; (81) 1; (81) 69; (82) 107; (82) 329
Granulosa cell differentiation, (79) 99
Granulosa-lutein cell, (82) 285
Gross cystic disease fluid protein, (80) 165
Growth, (77) C47
Growth factor, (77) 115; (78) C77; (79) 1; (80) 53; (80) 75; (82) C203
Growth hormone, (76) 125; (79) C133; (80) 1; (80) 41; (80) 127
Growth hormone receptor, (75) 27; (76) 125
Growth hormone-releasing factor, (79) 139
Growth-related gene, (79) 29
Gs protein binding, (80) 105
GTP-binding protein, (76) C33
GTP-γ-S, (78) 187
Guanosine 3′,5′-monophosphate, (82) 251

Harderian gland, (80) 177
HeLa cell, (78) 61
Hepatocyte, isolated, (75) 65
Hepatoma cell line, (76) 125
High density lipoprotein, (77) 97
HIP-70, (80) C187
Histone mRNA, (82) 11
Hormonal effect, (76) 71
Hormone, (77) C63
Hormone synthesis, (81) 155
Host susceptibility, (76) 207
[^{3}H]PK 11195, (82) 285
Human choriogonadotropin, (80) 105
Human growth hormone, (78) 45; (80) 183
Human thyroid, (81) 175
Hutchinson-Gilford syndrome, (75) 9
Hybridization, in situ, (81) 135; (82) 191
Hybrid selection, (75) R7
20-Hydroxyecdysone, (75) 141
Hydroxyphenyl acetate, (80) 183
15-Hydroxyprostaglandin dehydrogenase, (80) 153
3β-Hydroxysteroid dehydrogenase, (75) 257
11β-Hydroxysteroid dehydrogenase, (78) C95
3β-Hydroxysteroid dehydrogenase/Δ^5-Δ^4 isomerase, (75) 101
3β-Hydroxysteroid dehydrogenase/$\Delta^{5\rightarrow4}$-isomerase, (80) 21
Hyperfunctioning adenoma, (82) R7
Hyperinsulinemia, (75) 197
Hyperosmolarity, (77) 193
Hypothalamo–pituitary–adrenal axis, (82) C209

Immunoactivity, (80) 203
Immunofluorescence, (79) 109
Immunosuppression, (75) 265
Inactivation, (82) 81
Infection, (78) 61
Inhibin, (79) 99; (82) 165
Inhibin, luteinizing hormone-stimulated, (75) 49
Inhibin–testosterone interactions, (82) 265
Inositol phosphate, (81) 11; (81) 175; (82) 221
Inositol trisphosphate, (81) 53
Inositol 1,4,5-trisphosphate content, (77) 109
Insect, (77) 159
In situ hybridization, (76) 173
Insulin, (75) 189; (75) 237; (77) 217; (78) 211; (80) 183; (81) 95; (81) C197; (82) 137; (82) 215; (82) 275
Insulin effect, (75) 181
Insulin-like activity, (78) 45
Insulin-like growth factor, (75) 221; (77) 149; (81) 95
Insulin-like growth factor binding protein, (75) 81; (77) 149; (78) 71
Insulin-like growth factor-binding protein-1, (79) C147
Insulin-like growth factor I, (75) 81; (75) R1; (75) 213; (75) 237; (77) C57; (78) 115; (78) 211; (79) 177; (80) 1
Insulin-like growth factor II, (75) 213; (78) 87; (80) 75; (81) 81
Insulin-like growth factor II/mannose 6-phosphate receptor, (75) 213; (75) 221
Insulin-like growth factor-I mRNA, (77) 175
Insulin-like growth factor I receptor, (75) 133
Insulin receptor, (75) 133; (82) 159
Insulin receptor mRNA level, (75) 9
Insulin regulation, (78) 55
Insulin release, (78) 179
Insulin secretion, (76) 1
Insulin synergistic action, (81) 69
Interconversion pathway, (77) 1
Interleukin-1, (75) 1; (78) 205; (82) R13; (82) C209
Interleukin-1 receptor antagonist, (78) 205
Intestinal epithelium, (75) 221
Intestine, (75) 57; (75) 169
Intracellular regulator, (77) 37
Intracrine, (78) C113
Intracrine activity, (75) 101
Invasion, (82) C203
Iodide uptake, (81) 25
Iodination, (81) 195
Iodine deficiency, (81) C193
Iodothyronine, (82) 175
Islet, (82) 303
Islets of Langerhans, (75) 197

JEG-3 cell, (80) 139
Juvenile hormone, (75) 141; (77) 159; (81) 205

Kidney, (80) 153
Kidney cell, chicken, (78) 127

L-365,260, (77) 109
Lactation, (82) 191
Lactogen, (79) C159
Lactotroph, (82) R17
Leader exon, (78) 115
Leydig cell, (75) 49; (76) 89; (76) 105; (76) 115; (77) 91; (77) R7; (77) 207; (78) 205; (79) R9; (79) R21; (80) 115; (82) 23; (82) 251
L929 fibroblast, (78) R1
Licorice, (78) 1; (78) C99
Light:dark cycle, (79) C153
Lipid droplet, (77) 75
Lipofection, (81) 185
Lipogenesis, (80) 183
Liver, (75) 111; (80) 21; (82) 159
Liver, rat, (79) 29
LNCaP, (76) 79
Local control, (79) R21
Locusta migratoria, (77) 159
Long-chain fatty acyl-CoA synthetase, (77) 217
Low affinity, (76) 89
Luciferase assay, (81) 81
Lung, (80) 153
Lung membranes, bovine, rat, (79) 85
Luteal ultrastructure, (77) 75
Luteinization, (75) 237
Luteinizing hormone, (75) R1; (75) 237; (76) 63; (76) 95; (76) C33; (79) R9; (79) 177; (82) 107; (82) 265
Luteinizing hormone-β subunit chloramphenicol acetyltransferase fusion gene, (80) 193

Luteinizing hormone-human chorionic gonadotropin receptor, (76) 115; (82) 259
Luteinizing hormone receptor, (76) 89
Luteinizing hormone-releasing hormone, (76) 95
Luteolysis, (81) 77
Lutropin, (77) R7; (79) 21
Lutropin receptor expression, (81) 69
Lutropin receptor-mRNA, (79) 21
Lymphocyte, (82) 127
Lysosome, (78) 7; (80) C165

Macrophage, pulmonary, (75) 163
Malaria, (76) 207
Mammalian hormones, (77) 1; (77) 37
Mammals, (75) C1
Mammary cell, (82) 41
Mammary gland, (75) 27; (82) 191
Medullary thyroid carcinoma, (82) 293
Meiosis, (81) 53
Melatonin, (76) 23; (79) C153; (80) 177
Membrane, plasma, lipid, (77) 85
Membrane receptor, (77) 97; (80) C165
Metabolic clearance rate, (80) 203
Metabolization, (82) 151
Metalloendopeptidase, (76) 95
Metallothionein promoter induction, (75) 91
Metastasis, (82) C203
Methimazole, (78) 221; (82) R25
Methotrexate, (78) 107
N-Methylation, (81) 53
Mevalonate, (77) 159
Mevalonolactone, (77) 159
Mevinolin, (77) 159
Microheterogeneity, (80) 33
Mineralocorticoid, (78) C95
Mitochondria, (75) 15
Mitochondrion, (81) 113
Mitogen-regulated protein, (77) 115
MMQ cell, (82) 99
Modulation, (79) 65
Molecular genetics, (80) C175
Monensin, (81) 165
Monoclonal antibody, (80) 33; (82) 71
Morphine, (78) 155
Morphology, (76) 135
Mouse mammary tumor virus promoter, (82) 313
myc expression, (75) 181

NADPH cytochrome *P*-450 reductase, (78) 25
Nasal gland, (81) 135
Nb_2 cell, (80) 183
Nb_2 lymphoma, (81) 147
Nerve growth factor, (78) R1; (81) C197
Neuro2A cell, (82) 237
Neuroblastoma cell, (78) 155
Neurohormone, (78) C109
Neuroimmunomodulation, (76) C27
Neuropeptide, (75) 265; (76) C27
Neurophysin, (77) 141
Neurospora crassa, (82) 275
Neurotoxin, (82) 41
Neutral-to-base transition, (82) 23
Nonpeptide angiotensin-II antagonist, (81) 33
Nuclear protein, (78) C83
Nuclear transcript, (76) 55
Nuclear transcription, (80) 165
Nurse cell, (76) C27

Obesity, (75) 197
$1,25(OH)_2D_3$, (80) C165
$25(OH)D_3$-1-hydroxylase, (75) 163
Oligodeoxynucleotide, (79) R9
Oncogene, (82) C203
Oocyte maturation, (75) 133
Oocyte (*Rana pipiens*), (81) 53
Opioid peptide, (79) R21
Organoid, (81) 185
Osmolar concentration, (82) 99
Osteocalcin, (76) 149
Osteoporosis, (75) C19
Ovarian follicle, (78) 17
Ovarian regulation, (75) 141
Ovary, (75) R1; (79) 37; (79) 177; (82) 259
Ovine class II α-interferon gene, (76) 161
Ovine, embryo, (76) 161
Ovine trophoblast α-interferon gene, (76) 161
Oxytocin, (78) 17; (78) 211

p53, (76) 13
$P\text{-}450_{scc}$, (77) 75
$P\text{-}450_{c11}$ mRNA, (76) 7
$P\text{-}450_{c11}$ mRNA, (80) 83
$P\text{-}450_{c17}$ mRNA, (76) 7
$P\text{-}450_{c17}$ mRNA, (80) 83
$P\text{-}450_{c21}$ mRNA, (76) 7
$P\text{-}450_{c21}$ mRNA, (80) 83
$P\text{-}450_{scc}$ mRNA, (76) 7
$P\text{-}450_{scc}$ mRNA, (80) 83
Pancreatic islets, (76) 1; (82) 81
Paracrine, (77) C57
Paracrine factor, (82) R13
Paracrine regulation, (75) 1
Paracrine signal, (77) 37
Parathyroid hormone, (75) 229; (75) C19
Patch-clamp electrophysiology, (78) 79
Peptide precursor processing, (82) 51
Perforated-patch, (78) 79
Peripheral benzodiazepine receptor, (82) 285
Permeabilized cell, (76) C33
Peroxidase, (81) 105
Pertussis toxin, (75) 197; (82) 61
Phenamil, (82) R1
Phenol red, (81) 195
Pheochromocytoma, (79) 53
Phorbol ester, (77) 57; (77) R7; (79) 139; (79) 157; (81) 69; (82) 61; (82) 81

Phorbol 12-myristate 13-acetate, (75) 133
Phosphatidyl inositol, (80) C187
Phosphodiesterase, (82) 207
Phosphoinositide, (76) 63; (78) 187; (82) 81; (82) 221
Phospholipase A_2, (82) 41
Phospholipase C, (76) 45; (82) 81
Phospholipase D, (79) 157
Phospholipid, (81) 53
Phosphoprotein, (81) 113
Phosphorylation, (82) 81
Photoaffinity labeling, (79) 85
Photoperiod, (76) 23
Photoperiodism, (79) C153
Pineal gland, (79) C153
Pituitary, (76) 45; (77) C47; (82) 11
Pituitary cell, (78) 79; (79) 75; (80) 193
Pituitary cell line, (82) 215
Pituitary gland, (76) 35
Pituitary tumor, (78) 33; (82) R17
Pituitary tumor cell, (77) 133
Placenta, (78) C109; (80) 153
Placenta, human, (77) 97
Placental lactogen, (79) C133
Placental lactogen receptor, (78) 229
Placenta, murine, (77) 115
Plasma, (79) 129
Plasma insulin, (82) 159
Plasma membrane, (77) R1
Plasmodium chabaudi, (76) 207
Polyamines, (77) 1; (77) 37; (78) 71
Polymerase chain reaction, (78) 115; (82) 275
Porous bottom chamber, (81) 195
Post-transcriptional, (78) R7
Post-transcriptional processing, (76) 55
Potassium current, (82) 293
Pregnancy, (77) 75; (77) 97; (80) 153; (82) 285
Pregnenolone, (82) 23
Primary aldosteronism, (76) 7
Pro-calcitonin, (75) C19
Progesterone, (75) 237; (77) R1; (77) 141; (78) 17; (78) 155; (79) 99; (79) R15; (81) 53; (82) 137; (82) 207
Progesterone receptor, (75) 157
Prohormone processing, (78) 171
Prohormone targeting, (79) 109
Prolactin, (76) 35; (77) 75; (79) 29; (79) C133; (79) C159; (80) 41; (80) 127; (80) 203; (81) 185; (82) 41; (82) 99; (82) 137; (82) R17
Prolactin biosynthesis, (82) 215
Prolactin cell heterogeneity, (76) 35
Prolactin gene, (78) 55; (79) R1
Prolactin, human, (75) 71; (81) 147
Prolactin-inducible protein, (80) 165
Prolactin-like protein, (79) C133
Prolactin mRNA, (82) 1; (82) 11
Prolactin mRNA level, (82) 117
Prolactin receptor, (77) 181; (82) 127
Prolactin secretion, (78) 33
Proliferation, (80) 183
Proliferin, (77) 115
Promoter, (78) 127; (81) 81
Pro-ocytocin convertase, (77) 141
Pro-opiomelanocortin, (79) 109; (82) 89; (82) 237
Propylthiouracil, (82) R25
Prostaglandin, (81) 77
Prostaglandin dehydrogenase, (78) C99
Prostate-specific antigen, (76) 181
Prostate tumor cell, (80) 65
Protease inhibitor, (82) 51
Protein-DNA binding, (75) 19
Protein engineering, (81) 147
Protein expression, (76) 207
Protein kinase C, (75) 149; (76) 63; (77) 57; (78) 97; (79) 29; (79) 139; (79) 157; (80) 11; (80) C187; (82) 81; (82) 207
Protein kinase C subspecies, (80) C181
Protein phosphorylation, (77) 67
Protein–protein interaction, (82) 71
Protein-S14, (75) R7
Protein tyrosine kinase, (80) 183
Pseudoaldosteronism, (78) C95
Pseudogene, (76) 161; (82) 275
Pulsatile, (77) C63
Purinergic receptor, (81) 175

Quail, (75) 169

Rainbow trout, (75) 205
Rainbow trout brain, (76) 173
Receptor, (75) 81; (77) R7; (78) 127; (79) 85; (79) R9; (80) 105
Receptor activity, (80) 203
Receptor heterogeneity, (78) C73
Receptor recycling, (81) 165
Receptors binding to adjacent hormone response elements, (82) 313
Recombinant DNA, (82) 51
Reconstitution activity, (78) 25
Regulated secretion, (82) 51
Regulated secretory pathway, (82) 237
Regulation, (76) 79; (77) 159; (79) 129
Regulatory sequences, (75) 57
Relaxin genes, (79) C125
Renal epithelial cell mutant, (81) 165
Renin transgene, (75) C13
Reporter gene, (78) 127
Reproductive, (80) C187
Reproductive hormone, receptor, signal transmission, (75) 265
Resection, intestinal, (75) 221
Resorption inhibitor, (75) C19
Restriction fragment length polymorphism, (75) C13
Retinoic acid, (76) 149
Retinoid, (76) 115
Reverse transcription coupled-polymerase chain reaction, (82) 127
mRNA, (75) 169; (76) 181; (76) 191; (78) 87; (78) 221; (80) 127; (82) 259; (82) R25
mRNA abundance, (76) 71
mRNA expression, (75) 27; (82) R7

RNase protection, (78) 115
mRNA stability, (76) 71; (80) 165
Run-on transcription, (76) 55

Salivary gland, (81) 135
Second messenger, (79) 139; (80) C187; (81) 11; (82) 303
Secretion, (77) 193; (78) C109; (80) 41; (82) 99
Secretogranin, (80) 41
Secretory, (77) C63
Secretory granules, (77) 85; (79) C141
Selenium deficiency, (81) C193
'Self' peptide, (76) C27
Seminiferous tubule, (82) 165
Sequence, (80) 165
Sequence homology, (80) 139
Sertoli and germ cell interaction, (75) 265
Sertoli cell, (75) 1; (77) 207; (78) R7; (80) 115; (81) 95; (82) 61; (82) R13
Serum, (82) 1
Serum amidation enzyme activity, (79) 53
Signal transduction, (79) C153; (80) C181
Site-directed mutagenesis, (82) 237
Skin fibroblast, (80) 1
Sodium channel, (82) 293
Sodium transport, (82) R1
Sperm, (77) R1
Spermatogenesis, (78) R7; (82) R13
Spironolactone, (81) 127
Splenic non-T cell, (76) 207
Spontaneously hypertensive rat, (75) C13
Stanniocalcin, (79) 129
State 3 respiration, (75) 15
Staurosporine, (77) 57
Steroid, (77) R1; (80) C165
Steroid dehydrogenase, (78) C99
Steroid hormone, (76) 149
Steroidogenesis, (75) 101; (76) 7; (77) 91; (77) 207; (78) 205; (78) C113; (80) 83; (80) 115; (81) 43; (81) 113; (82) 107; (82) 251
Steroidogenic cell, (75) 149
Steroid production, (82) 23
Steroid receptor, (78) C83; (78) C103; (80) 65
Streptozotocin, (82) 159
Stress, (80) C171; (82) C209
Subcellular distribution, (78) 97
Sulfate, (79) R15
SV40, plasmid, (82) 143
Synergism of steroid hormone action, (82) 313
Synthesis, (82) R25
Synthetic peptide, (78) 163; (78) 197; (79) 93
3T3 adipocyte, (82) 183

Tamoxifen, (77) 133; (79) C159
Targeting of prohormone, (82) 237
T47-D breast cancer cell, (75) 157
Testes, (79) 21
Testicular fluid, (82) 23
Testicular protein, cell–cell interaction, (75) 265
Testis, (75) 149; (75) 265; (81) 95; (82) 165
Testis, rat, (80) 21
Testosterone, (76) 23; (76) 207; (76) C39; (81) 105; (81) 113; (82) 23; (82) 61; (82) 199
Tests, (78) R7
Thecal cell, porcine, (75) 237
Thioredoxin, (78) 163
Thymosin, (79) 37
Thymus, (76) C27
Thyrocyte, human, (82) 143
Thyroglobulin, (78) 221; (78) C89; (81) 155; (81) 195; (82) R7; (82) 175; (82) R25
Thyroglobulin cleavage, (78) C89
Thyroglobulin, human, (79) 93
Thyroid, (76) 13; (76) 135; (79) 21
Thyroid carcinoma, (82) R7
Thyroid cell, (75) 123
Thyroid cell, human, (78) 221
Thyroid follicle, (82) R1
Thyroid FRTL-5 cell, (79) 147
Thyroid hormone, (76) 149; (77) C47
Thyroid hormone metabolism, (81) C193
Thyroid hormone receptor, (78) C83; (80) 127
Thyroid hormone secretion, (78) C89
Thyroid peroxidase, (78) 107; (78) 221; (82) R7
Thyroid-stimulating hormone, (75) 123; (81) 175
Thyrotropin, (76) 135; (76) 201; (78) 137; (81) 25; (82) 99; (82) 221
Thyrotropin receptor, (82) R7
Thyrotropin-releasing hormone, (79) 167; (80) 53; (81) 175; (82) 117
Tight junction formation, (82) 61
Tissue-specific expression, (75) 71
3T3-L1 cell, (75) R7
TM4 cell, (80) 115
Transcaltachia, (80) C165
Transcription, (76) 71; (76) 125; (78) C103; (82) 183
Transcription activation, (75) 181; (78) 55
Transcriptional regulatory elements, (75) 91
Transcription enhancer, (75) 19
Transcription factor, (75) 19
Transcription start sites, (78) 115
Transepithelial electrical resistance, (82) 61
Transfection, (78) 127; (79) R1; (82) 51; (82) 143
Transferrin, (77) C47; (81) 95
Transformation, (76) 13
Transformed murine Leydig cell, (75) 247
Transforming growth factor-α, (77) 199
Transforming growth factor β, (75) 257; (76) 13
Transforming growth factor-β1, -β2 and -β3, (82) 191
Trans Golgi, (79) C141
Transient expression, (77) 133
Transient transfection, (75) 91
Translation, in vitro, (75) R7
Transporter glucose, (75) 189
TRAP, (78) C83
Triiodothyronine, (75) 15; (80) 53
Trophoblast in culture, (77) 97

Tumorigenesis, (76) 13
Tumor necrosis factor, (81) 77
Two-dimensional gel electrophoresis, (75) R7
Tyrosine residue, (79) 93

Up-regulation, (82) C215
Uterus, (81) 105

Vanadate, (75) 133
Variant insulin-like growth factor II, (80) 75
Vas deferens, (76) 191
Vasopressin, (77) 57; (77) 123; (78) C73; (79) 157
Vectorial secretion, (81) 95
Veratridine, (77) 57
Vimentin, (76) 135
Vitellogenin, (75) 205
Vitellogenin II promoter, (82) 313
V_{1a} receptor, (77) 123
V_1 receptor, (78) C73
V_2 receptor, (78) C73

Western blot, (77) 141; (79) 129

Zona fasciculata, (78) C119
Zona glomerulosa, (78) C119

Molecular and Cellular Endocrinology, 82 (1991) 339–353
© 1991 Elsevier Scientific Publishers Ireland, Ltd. 0303-7207/91/$03.50

Author Index to Volumes 75–82 (1991)

Aakerlund, L., see Gether, U. (79) 53

Acquaviva, R., Consiglio, E., Di Jeso, B., Leonardi, A., Pinto, F., Salvatore, D. and Formisano, S.
Calcium interaction with bovine thyroglobulin: stoichiometry and structural consequences of calcium binding (82) 175

Adams, T.E., see O'Mahoney, J.V. (78) 87

Adessi, G.L., see Mahfoudi, A. (79) R15

Aiso, S., see Hiraoka, Y. (75) 71

Allman, D.R., see Krongrad, A. (76) 79

Alsat, E. and Malassiné, A.
High density lipoprotein interaction with human placenta: biochemical and ultrastructural characterization of binding to microvillous receptor and lack of internalization (77) 97

Altaratz, M., Applebaum, S.W., Richard, D.S., Gilbert, L.I. and Segal, D.
Regulation of juvenile hormone synthesis in wild-type and *apterous* mutant *Drosophila* (81) 205

Andry, G., see Raspé, E. (81) 175

Anis, Y. and Zisapel, N.
Castration affects brain iodomelatonin binding in hamsters maintained in long but not short days (76) 23

Antras, J., Lasnier, F. and Pairault, J.
β-Adrenergic-cyclic AMP signalling pathway modulates cell function at the transcriptional level in 3T3-F442A adipocytes (82) 183

Applebaum, S.W., see Altaratz, M. (81) 205

Armstrong, D.T., see Engelhardt, H. (75) 237

Armstrong, J.W., see Yap, A.S. (82) R1

Astraudo, C., see Lefèvre, A. (76) 115

Aten, R., see Hall, A.K. (79) 37

Atger, M., see Savouret, J.-F. (75) 157

Ayala, J.M., see Pierotti, A.R. (76) 95

Baarends, W.M., see Themmen, A.P.N. (78) R7

Bahl, O.P., see Seth, P.K. (80) 105

Bailly, A., Rauch, C., Cato, A.C.B. and Milgrom, E.
In two genes, synergism of steroid hormone action is not mediated by cooperative binding of receptors to adjacent sites (82) 313

Baird, D.T., see Hillier, S.G. (75) R1

Baird, D.T., see Hillier, S.G. (79) 177

Baker, K.R., see Lamb, D.J. (79) 1

Baker, M.E. and Fanestil, D.D.
Licorice, computer-based analyses of dehydrogenase sequences, and the regulation of steroid and prostaglandin action (78) C99

Balden, E., Walker, A.M. and Cukierman, S.
Reconstitution of single calcium channels from secretory granules of rat adenohypophysis in planar lipid membranes (77) 85

Balestre, M.-N., see Gallo-Payet, N. (81) 11

Bali, J.-P., see Roche, S. (77) 109

Bancroft, C., see McChesney, R. (79) R1

Banerjee, R., see Vonderhaar, B.K. (79) C159

Bar, A., see Striem, S. (75) 169

Bar-Ami, S., Fares, F. and Gavish, M.
Altered peripheral benzodiazepine receptor density in human granulosa-lutein cells in relation to follicular maturity (82) 285

Barbot, N., see Neveu, I. (78) R1

Bardin, W., see Gérard, N. (82) R13

Barletta, A., see Iossa, S. (75) 15

Barré, N., see Camier, M. (77) 141

Baxter, R.C., see Lewitt, M.S. (77) 149

Baxter, R.C., see Lewitt, M.S. (79) C147

Beck, G., see Chasserot-Golaz, S. (82) 151

Beck, L., see Mahfoudi, A. (79) R15

Bedin, M., see Tahri-Joutei, A. (79) R21

Begeot, M., see Ouali, R. (81) 43

Behr, M., see Loos, U. (75) R7

Behrman, H.R., see Hall, A.K. (79) 37

Beitins, I.Z., see Padmanabhan, V. (79) 119

Belair, L., see Dusanter-Fourt, I. (77) 181

Belair, L., see Jammes, H. (75) 27

Belayew, A., see Berwaer, M. (80) 53

Bélisle, S., Bellabarba, D., Lehoux, J.-G. and Gallo-Payet, N.
The effects of age on the postreceptor regulation of luteinizing hormone secretion by gonadotropin-releasing hormone (76) 63

Bellabarba, D., see Bélisle, S. (76) 63

Bellefroid, E., see Berwaer, M. (80) 53

Bellini, C., see Briata, P. (75) 9

Bellino, F.L., see Sethumadhavan, K. (78) 25

Belsham, D.D., see Trifiro, M. (75) 37

Benahmed, M., see Pelosin, J.-M. (75) 149

Benhida, A., see Geenen, V. (76) C27

Benten, W.P.M., see Schmitt-Wrede, H.-P. (76) 207

Benveniste, D., see Camier, M. (77) 141

Berg, J.P., Sørnes, G., Torjesen, P.A. and Haug, E.
Cholecalciferol metabolites attenuate cAMP production in rat thyroid cells (FRTL-5) (76) 201

Berger, P., see Schwarz, S. (80) 33

Berger, P., see Schwarz, S. (82) 71

Berger, R., see Savouret, J.-F. (75) 157

Bergstrom, J.M., see Rourke, K.A. (81) 127

Berwaer, M., Monget, P., Peers, B., Mathy-Hartert, M., Bellefroid, E., Davis, J.R.E., Belayew, A. and Martial, J.A.
Multihormonal regulation of the human prolactin gene expression from 5000 bp of its upstream sequence (80) 53
Besnard, P., El M'Selmi, A., Jousset, U., Collignon, H. and Garel, J.-M.
Effects of 1,25-dihydroxycholecalciferol and calcium on calcitonin mRNA levels in suckling rats (79) 45
Bettenhäuser, U., see Schmitt-Wrede, H.-P. (76) 207
Bhandari, B., Saini, K.S. and Miller, R.E.
Glycerol 3-phosphate dehydrogenase gene expression in cultured 3T3-L1 adipocytes: regulation by insulin, dexamethasone and dibutyryl cAMP at the level of mRNA abundance, transcription and mRNA stability (76) 71
Bhattacharya, A., Shepard, A.R., Moser, D.R., Roberts, L.R. and Holland, L.J.
Molecular cloning of cDNA for the Bβ subunit of *Xenopus* fibrinogen, the product of a coordinately-regulated gene family (75) 111
Bilbe, G., see Maier, R. (82) 191
Billig, H., see Carlsson, B. (77) 175
Bishop, J.E., see Reichel, H. (75) 163
Blok, L.J., see Themmen, A.P.N. (78) R7
Bloom, S.R., see O'Halloran, D.J. (75) C7
Boden, K., see Schmitt-Wrede, H.-P. (76) 207
Boileau, G., see Chevrier, D. (79) 109
Boileau, G., see Roy, P. (82) 237
Boisnard, M., see Charlier, M. (76) 161
Boland, R., Minghetti, P.P., Lowe, K.E. and Norman, A.W.
Sequences near the CCAAT region and putative 1,25-dihydroxyvitamin D_3-response element and further upstream novel regulatory sequences of calbindin-D_{28k} promoter show DNase I footprinting protection (75) 57
Boland, R., see Selles, J. (77) 67
Boland, R., see Selles, J. (82) 229
Bolander, Jr., F.F.
Regulation of the mouse mammary tumor virus (MMTV) binding site in cultured mammary tissue (82) 137
Bon, C., see Ollivier-Bousquet, M. (82) 41
Bond, J.A., see Wyllie, F.S. (76) 13
Boniface, J.J., see Grasso, P. (78) 163
Boniver, J., see Geenen, V. (76) C27
Bonnec, G., see Salbert, G. (76) 173
Bootsma, H.J., see Van Dijk, M.A. (81) 81
Bos, O.J.M., see Melsert, R. (82) 23
Boujard, D., see Salbert, G. (76) 173
Bourke, J.R., see Yap, A.S. (82) R1
Bourque, M., see Grey, V. (75) 221
Bouvier, C., Forget, H., Lagacé, G., Drews, R., Sinnett, D., Labuda, D. and Collu, R.
G proteins in normal rat pituitaries and in prolactin-secreting rat pituitary tumors (78) 33
Bouvier, C., Lagacé, G. and Collu, R.
G protein modulation by estrogens (79) 65
Brabant, G., Maenhaut, C., Köhrle, J., Scheumann, G., Dralle, H., Hoang-Vu, C., Hesch, R.D., Von zur Mühlen, A., Vassart, G. and Dumont, J.E.
Human thyrotropin receptor gene: expression in thyroid tumors and correlation to markers of thyroid differentiation and dedifferentiation (82) R7
Brachet, P., see Neveu, I. (78) R1
Brakch, N., see Camier, M. (77) 141
Brandon, M.R., see O'Mahoney, J.V. (78) 87
Braun, J.M., see Papandréou, M.-J. (78) 137
Breton, N., see Simard, J. (75) 101
Briata, P., Bellini, C., Vignolo, M. and Gherzi, R.
Insulin receptor gene expression is reduced in cells from a progeric patient (75) 9
Brickell, P.M., see Mullis, P.E. (76) 125
Brinkmann, A.O., see Kuiper, G.G.J.M. (80) 65
Brinkmann, A.O., see Trifiro, M. (75) 37
Brook, C.G.D., see Mullis, P.E. (76) 125
Brown, C.J., see Trifiro, M. (75) 37
Brown, M.B., see Padmanabhan, V. (79) 119
Bruns, K., see Nilsen-Hamilton, M. (77) 115
Bryant-Greenwood, G.D.
The human relaxins: consensus and dissent (79) C125
Buchou, T., Gaben, A.-M., Phan-Dinh-Tuy, F. and Mester, J.
Insulin/insulin-like growth factor I induce actin transcription in mouse fibroblasts expressing constitutively *myc* gene (75) 181
Buckley, A.R., see Crowe, P.D. (79) 29
Buisson, N., see Laverrière, J.N. (80) 41
Burlet, H., see Lopez, S. (82) 159
Burns, E.L., see Chiang, A.-S. (75) 141
Busbridge, N.J. and Grossman, A.B.
Stress and the single cytokine: interleukin modulation of the pituitary–adrenal axis (82) C209
Byrd, E.W., see Rainey, W.E. (81) 33

Calkins, J.H., see Lin, T. (78) 205
Camier, M., Benveniste, D., Barré, N., Brakch, N. and Cohen, P.
Synthesis and processing of pro-ocytocin in bovine corpus luteum and granulosa cells (77) 141
Cammenga, M., see Leer, L.M. (78) 221; (82) R25
Canonne, C., see Papandréou, M.-J. (78) 137
Capito, K., see Hedeskov, C.J. (78) 187
Capito, K., see Hedeskov, C.J. (82) 81
Carlsson, B. and Billig, H.
Insulin-like growth factor-I gene expression during development and estrous cycle in the rat uterus (77) 175
Carr, B.R., see Rainey, W.E. (81) 33
Cato, A.C.B., see Bailly, A. (82) 313
Cawthorn, E.G. and Chan, C.B.
Effect of pertussis toxin on islet insulin secretion in obese (*fa/fa*) Zucker rats (75) 197
Chabaud, O., see Gruffat, D. (81) 195
Chambaz, E.M., see Pelosin, J.-M. (75) 149
Chan, C.B., see Cawthorn, E.G. (75) 197
Chan, C.H.W., see Howl, J. (77) 123
Chang, C., see Trifiro, M. (75) 37
Chang, J.P., Wildman, B. and Van Goor, F.
Lack of involvement of arachidonic acid metabolism in chicken gonadotropin-releasing hormone II (cGnRH-II) stimulation of gonadotropin secretion in dispersed pitu-

itary cells of goldfish, *Carassius auratus*. Identification of a major difference in salmon GnRH and chicken GnRH-II mechanisms of action (79) 75
Charlier, M., Hue, D., Boisnard, M., Martal, J. and Gaye, P.
Cloning and structural analysis of two distinct families of ovine interferon-α genes encoding functional class II and trophoblast (oTP) α-interferons (76) 161
Chasserot-Golaz, S., Beck, G. and Venetianer, A.
Inhibition of growth by the antihormone RU486 in different hepatoma cell lines (82) 151
Chen, T.-M., see El-Deiry, S. (76) 105
Cheng, C.Y., see Zwain, I.H. (80) 115
Chevrier, D., Fournier, H., Nault, C., Zollinger, M., Crine, P. and Boileau, G.
Expression of porcine pro-opiomelanocortin in mouse neuroblastoma (Neuro2A) cells: targeting of the foreign neuropeptide to dense-core vesicles (79) 109
Chevrier, D., see Roy, P. (82) 237
Chi, R., see Lin, T. (78) 205
Chiang, A.-S., Gadot, M., Burns, E.L. and Schal, C.
Developmental regulation of juvenile hormone synthesis: ovarian synchronization of volumetric changes of corpus allatum cells in cockroaches (75) 141
Chiang, C.-P., see Nilsen-Hamilton, M. (77) 115
Chien, E.J., Morrill, G.A. and Kostellow, A.B.
Progesterone-induced second messengers at the onset of meiotic maturation in the amphibian oocyte: interrelationships between phospholipid *N*-methylation, calcium and diacylglycerol release, and inositol phospholipid turnover (81) 53
Chomczynski, P., see Coleman, T.A. (75) 91
Chouinard, L., see Gallo-Payet, N. (81) 11
Clayton, R.N., Lalloz, M.R.A., Salton, S.R.J. and Roberts, J.L.
Expression of luteinising hormone-β subunit chloramphenicol acetyltransferase (LH-β-CAT) fusion gene in rat pituitary cells: induction by cyclic 3′-adenosine monophosphate (cAMP) (80) 193
Clement, J., see Loos, U. (75) R7
Coclet, J., Lamy, F., Rickaert, F., Dumont, J.E. and Roger, P.P.
Intermediate filaments in normal thyrocytes: modulation of vimentin expression in primary cultures (76) 135
Coghlan, J.P., see Penschow, J.D. (81) 135
Cohen-Chapnik, N., see Shechter, Y. (80) 183
Cohen, P., see Camier, M. (77) 141
Cohen, R., see Shechter, Y. (80) 183
Colby, H.D., see Rourke, K.A. (81) 127
Coleman, T.A., Chomczynski, P., Frohman, L.A. and Kopchick, J.J.
A comparison of transcriptional regulatory element activities in transformed and non-transformed rat anterior pituitary cells (75) 91
Collignon, H., see Besnard, P. (79) 45
Collu, R., see Bouvier, C. (78) 33
Collu, R., see Bouvier, C. (79) 65
Consiglio, E., see Acquaviva, R. (82) 175
Contempré, B., Vanderpas, J. and Dumont, J.E.
Cretinism, thyroid hormones and selenium (81) C193
Cooke, B.A., see West, A.P. (77) R7
Cooke, B.A., see West, A.P. (79) R9
Coosemans, V., see Mahfoudi, A. (79) R15
Copp, D.H., see Wagner, G.F. (79) 129
Corrèze, C., see Delemer, B. (75) 123
Couillaud, F.
Evidence for regulation of juvenile hormone biosynthesis operating before mevalonate in locust corpora allata (77) 159
Cox, D., see Maier, R. (82) 191
Crabb, J.W., see Santa-Coloma, T.A. (78) 197
Cragoe, Jr., E.J., see Yap, A.S. (82) R1
Crine, P., see Chevrier, D. (79) 109
Crine, P., see Roy, P. (82) 237
Crowe, P.D., Buckley, A.R., Zorn, N.E. and Rui, H.
Prolactin activates protein kinase C and stimulates growth-related gene expression in rat liver (79) 29
Cukierman, S., see Balden, E. (77) 85

Danehy, F.T., see Yeh, J. (80) 75
Dannies, P.S., see Reaves, B.J. (79) C141
Davidson, J., Van der Merwe, P.A., Wakefield, I. and Millar, R.P.
Mechanisms of luteinizing hormone secretion: new insights from studies with permeabilized cells (76) C33
Davies, T.F., see Graves, P.N. (79) 21
Davis, E.A. and Morris, D.J.
Medicinal uses of licorice through the millennia: the good and plenty of it (78) 1
Davis, J.R.E., see Berwaer, M. (80) 53
Dawson, T., see Wyllie, F.S. (76) 13
Deb, S., see Roby, K.F. (79) 13
Debuyser, A., Drews, G. and Henquin, J.-C.
Adrenaline inhibition of insulin release: role of cyclic AMP (78) 179
Decker, S.J., see Saltiel, A.R. (81) C197
Defresne, M.-P., see Geenen, V. (76) C27
De Giovanni, G., see Geenen, V. (76) C27
De Gómez Dumm, I.N.T., see Igal, R.A. (77) 217
De Kretser, D.M., see Simpson, B.J.B. (75) 49
Delemer, B., Dib, K., Saunier, B., Haye, B., Jacquemin, C. and Corrèze, C.
Alteration of the functional activity of G_s protein in thyrotropin-desensitized pig thyroid cells (75) 123
Delgado, M., see Nilsen-Hamilton, M. (77) 115
DeManno, D.A. and Hunzicker-Dunn, M.
cAMP-dependent protein kinase isozymes in porcine follicles and corpora lutea (80) 91
Denhardt, D.T., see Nilsen-Hamilton, M. (77) 115
DePaolo, L.V., see Sinha, Y.N. (80) 203
De Ruiter, P.E., see Kuiper, G.G.J.M. (80) 65
Desbuquois, B., see Lopez, S. (82) 159
Devif, I., see Habert, R. (82) 199
De Vijlder, J.J.M., see Leer, L.M. (78) 221; (82) R25
Devinoy, E., Maliénou-N'Gassa, R., Thépot, D., Puissant, C. and Houdebine, L.M.
Hormone responsive elements within the upstream sequences of the rabbit whey acidic protein (WAP) gene direct chloramphenicol acetyl transferase (CAT) reporter

gene expression in transfected rabbit mammary cells (81) 185
Dib, K., see Delemer, B. (75) 123
Dickson, R.B., see Thompson, E.W. (82) C203
Di Jeso, B., see Acquaviva, R. (82) 175
Dirnhofer, S., see Schwarz, S. (80) 33
Djakiew, D., see Onoda, M. (77) 207
Djiane, J., see Dusanter-Fourt, I. (77) 181
Djiane, J., see Jammes, H. (75) 27
Dominguez, P., see Menendez-Pelaez, A. (80) 177
Dong, K.W., see McChesney, R. (79) R1
Dralle, H., see Brabant, G. (82) R7
Drews, G., see Debuyser, A. (78) 179
Drews, R., see Bouvier, C. (78) 33
Drinkwater, C.C., see Penschow, J.D. (81) 135
Dumont, J.E., see Brabant, G. (82) R7
Dumont, J.E., see Coclet, J. (76) 135
Dumont, J.E., see Contempré, B. (81) C193
Dumont, J.E., see Mockel, J. (82) 221
Dumont, J.E., see Raspé, E. (81) 175
Dusanter-Fourt, I., Gaye, P., Belair, L., Pétridou, B., Kelly, P.A. and Djiane, J.
Prolactin receptor gene expression in the rabbit: identification, characterization and tissue distribution of several prolactin receptor messenger RNAs encoding a unique precursor (77) 181

Eby, J.E., see Sirbasku, D.A. (77) C47
El-Deiry, S., Chen, T.-M. and Puett, D.
Comparison of steroidogenic potencies of homologous and heterologous gonadotropins in rat and mouse Leydig cells (76) 105
Elberg, G., see Galosy, S.S. (78) 229
Ellis, J.A., see Ji, I. (81) 77
El M'Selmi, A., see Besnard, P. (79) 45
Engelhardt, H., Gore-Langton, R.E. and Armstrong, D.T.
Luteinization of porcine thecal cells in vitro (75) 237
Epstein, L.F. and Orme-Johnson, N.R.
Acute action of luteinizing hormone on mouse Leydig cells: accumulation of mitochondrial phosphoproteins and stimulation of testosterone synthesis (81) 113

Fagan, R., see Goodyer, P.R. (77) 199
Fahrenholz, F., see Jans, D.A. (81) 165
Fanestil, D.D., see Baker, M.E. (78) C99
Fang, Y., see Nilsen-Hamilton, M. (77) 115
Fares, F., see Bar-Ami, S. (82) 285
Fata, J., see Goodyer, P.R. (77) 199
Féon, S., see Pakdel, F. (75) 205
Ferioli, M.E., see Scalabrino, G. (77) 1
Fiebig, S., see Schmitt-Wrede, H.-P. (76) 207
Fillion, C., see Tahri-Joutei, A. (79) R21
Finaz, C., see Lefèvre, A. (76) 115
Findlay, J.K., see Xiao, S. (79) 99
Fiorelli, G., see Serio, M. (78) C77
Fischer, D., see Goodyer, P.R. (77) 199
Fischer, M.J.E., see Melsert, R. (82) 23
Fischer, S., see Loos, U. (75) R7
Flores, J.A., Veldhuis, J.D. and Leong, D.A.
Angiotensin II induces calcium release in a subpopulation of single ovarian (granulosa) cells (81) 1
Flores, J.A., Veldhuis, J.D. and Leong, D.A.
Erratum: Angiotensin II induces calcium release in a subpopulation of single ovarian (granulosa) cells (82) 329
Fong, J.C., see Wang, F.-F. (82) 117
Forget, H., see Bouvier, C. (78) 33
Formisano, S., see Acquaviva, R. (82) 175
Fortune, J.E., see Voss, A.K. (78) 17
Foti, D., see Kaufman, K.D. (78) 107
Fournier, H., see Chevrier, D. (79) 109
Fournier, H., see Roy, P. (82) 237
Franchimont, P., see Geenen, V. (76) C27
Franklyn, J.A., see Williams, G.R. (80) 127
French, M.B., Moor, B.C., Lussier, B.T. and Kraicer, J.
Growth hormone-releasing factor does not activate protein kinase C in somatotrophs (79) 139
Fridlanski, F., see Savouret, J.-F. (75) 157
Friesen, H.G., see Wagner, G.F. (79) 129
Frohman, L.A., see Coleman, T.A. (75) 91
Fukasawa, T., see Hiraoka, Y. (75) 71
Fukasawa, T., see Hiraoka, Y. (81) 147
Fuller, P.J., see Keightley, M.-C. (82) 89
Fullerton, M.J., Krozowski, Z.S. and Funder, J.W.
Adrenalectomy and dexamethasone administration: effect on atrial natriuretic peptide synthesis and circulating forms (82) 33
Funder, J.W., see Fullerton, M.J. (82) 33
Funder, J.W., see Keightley, M.-C. (82) 89

Gaben, A.-M., see Buchou, T. (75) 181
Gadot, M., see Chiang, A.-S. (75) 141
Gallo-Payet, N., Chouinard, L., Balestre, M.-N. and Guillon, G.
Mechanisms involved in the interaction of dopamine with angiotensin II on aldosterone secretion in isolated and cultured rat adrenal glomerulosa cells (81) 11
Gallo-Payet, N., see Bélisle, S. (76) 63
Galosy, S.S., Gertler, A., Elberg, G. and Laird, D.M.
Distinct placental lactogen and prolactin (lactogen) receptors in bovine endometrium (78) 229
Galosy, S.S., see Lewis, U.J. (78) 45
Game, S., see Wyllie, F.S. (76) 13
Gammeltoft, S., see Grey, V. (75) 221
Gangnerau, M.N., see Habert, R. (82) 199
Garel, J.-M., see Besnard, P. (79) 45
Garnier, J., see Genty, N. (76) 89
Gautier, N., see Hainaut, P. (75) 133
Gautvik, K.M., see Paulssen, E.J. (76) 45
Gavish, M., see Bar-Ami, S. (82) 285
Gaye, P., see Charlier, M. (76) 161
Gaye, P., see Dusanter-Fourt, I. (77) 181
Gaye, P., see Jammes, H. (75) 27
Geenen, V., Robert, F., Martens, H., Benhida, A., De Giovanni, G., Defresne, M.-P., Boniver, J., Legros, J.-J., Martial, J. and Franchimont, P.
Biosynthesis and paracrine/cryptocrine actions of 'self' neurohypophysial-related peptides in the thymus (76) C27

Gembal, M., see Hedeskov, C.J. (78) 187
Gembal, M., see Hedeskov, C.J. (82) 81
Genetet, N., see Gérard, N. (82) R13
Genty, N., Salesse, R., Jallal, B. and Garnier, J.
Endocytosis of the lutropin receptor is mediated by a low affinity binding site (76) 89
Gérard, N., Syed, V., Bardin, W., Genetet, N. and Jégou, B.
Sertoli cells are the site of interleukin-1α synthesis in rat testis (82) R13
Gertler, A., see Galosy, S.S. (78) 229
Gertler, A., see Shechter, Y. (80) 183
Gether, U., Aakerlund, L. and Schwartz, T.W.
Comparison of peptidyl-glycine α-amidation activity in medullary thyroid carcinoma cells, pheochromocytomas, and serum (79) 53
Gherzi, R., see Briata, P. (75) 9
Gierschik, P., see Reithmann, C. (82) C215
Gilbert, L.I., see Altaratz, M. (81) 205
Giorgetti, S., see Hainaut, P. (75) 133
Gonzalvez, S., see Gruffat, D. (81) 195
Goodman, R.H., see Roth, W.W. (78) 171
Goodyer, C.G., see Goodyer, P.R. (77) 199
Goodyer, P.R., Fata, J., Mulligan, L., Fischer, D., Fagan, R., Guyda, H.J. and Goodyer, C.G.
Expression of transforming growth factor-α and epidermal growth factor receptor in human fetal kidneys (77) 199
Gordeladze, J.O., see Paulssen, E.J. (76) 45
Gore-Langton, R.E., see Engelhardt, H. (75) 237
Goretzki, P., see Wyllie, F.S. (76) 13
Gorski, J., see Meier, D.A. (75) 19
Gorski, J., see Murdoch, F.E. (78) C103
Gorski, J., see Rhode, P.R. (82) 1
Gorski, J., see Rhode, P.R. (82) 11
Gottlieb, B., see Trifiro, M. (75) 37
Gourdji, D., see Laverrière, J.N. (80) 41
Graham-Lorence, S.E., see Lorence, M.C. (80) 21
Granot, I., Halevy, O., Hurwitz, S. and Pines, M.
Growth hormone and insulin-like growth factor I regulate collagen gene expression and extracellular collagen in cultures of avian skin fibroblasts (80) 1
Grasso, P., Santa-Coloma, T.A., Boniface, J.J. and Reichert, Jr., L.E.
A synthetic peptide corresponding to hFSH-β-(81–95) has thioredoxin-like activity (78) 163
Graves, P.N. and Davies, T.F.
Absence of lutropin (LH) receptor mRNA in the rat thyroid: further evidence for specificity cross-over at the thyroid-stimulating hormone receptor level (79) 21
Greer, M.A., see Sato, N. (77) 193
Greer, M.A., see Sato, N. (82) 99
Grey, V., Rouyer-Fessard, C., Gammeltoft, S., Bourque, M., Morin, C. and Laburthe, M.
Insulin-like growth factor II/mannose-6-phosphate receptors are transiently increased in the rat distal intestinal epithelium after resection (75) 221
Grondin, F., see Lehoux, J.-G. (78) 97
Gröner, I., see McArdle, C.A. (78) 211
Grootegoed, J.A., see Kuiper, G.G.J.M. (80) 65
Grootegoed, J.A., see Themmen, A.P.N. (78) R7
Grossman, A.B., see Busbridge, N.J. (82) C209
Gruffat, D., Gonzalvez, S., Mauchamp, J. and Chabaud, O.
Phenol red: an inhibitor of thyroglobulin iodination in cultured porcine thyroid cells (81) 195
Guillon, G., see Gallo-Payet, N. (81) 11
Guo, H., see Lin, T. (78) 205
Gusdinar, T., see Roche, S. (77) 109
Gutierrez-Hartmann, A., see Keech, C.A. (78) 55
Guyda, H.J., see Goodyer, P.R. (77) 199

Habert, R., Devif, I., Gangnerau, M.N. and Lecerf, L.
Ontogenesis of the in vitro response of rat testis to gonadotropin-releasing hormone (82) 199
Hainaut, P., Kowalski, A., Le Marchand-Brustel, Y., Giorgetti, S., Gautier, N. and Van Obberghen, E.
Effects of insulin, insulin-like growth factor-I (IGF-I) and progesterone on glucose and amino acid uptake in *Xenopus laevis* oocytes (75) 133
Haji, M., see Ogo, A. (76) 7
Haji, M., see Ogo, A. (80) 83
Halevy, O., Schindler, D., Hurwitz, S. and Pines, M.
Epidermal growth factor receptor gene expression in avian epiphyseal growth-plate cartilage cells: effect of serum, parathyroid hormone and atrial natriuretic peptide (75) 229
Halevy, O., see Granot, I. (80) 1
Hall, A.K., Aten, R. and Behrman, H.R.
Differential modulation of thymosin genes in the immature rat ovary by gonadotropins (79) 37
Hamilton, R.T., see Nilsen-Hamilton, M. (77) 115
Hammond, J.M., see Kim, I. (78) 71
Handelsman, D.J., see Spaliviero, J.A. (81) 95
Hansen, H.S., see Vinggaard, A.M. (79) 157
Haralambidis, J., see Penschow, J.D. (81) 135
Haro, L.S., see Sinha, Y.N. (80) 203
Hasegawa, Y., see Nakamura, K. (82) 259
Hassing, J.M., see Padmanabhan, V. (79) 119
Hattori, M.-a., Takahashi, M. and Horiuchi, R.
Tumor-promoting phorbol ester acts synergistically with insulin to induce lutropin receptor expression in rat granulosa cells (81) 69
Haug, E., see Berg, J.P. (76) 201
Haugen, T.B., see Paulssen, E.J. (76) 45
Haye, B., see Delemer, B. (75) 123
Hedeskov, C.J., Thams, P., Gembal, M., Malik, T. and Capito, K.
Ca^{2+}- and ATP-dependent reversible inactivation of pancreatic islet phosphoinositide-specific phospholipase C activity (82) 81
Hedeskov, C.J., Thams, P., Gembal, M., Malik, T. and Capito, K.
Characteristics of phosphoinositide-specific phospholipase C activity from mouse pancreatic islets (78) 187
Hedger, M.P., see Simpson, B.J.B. (75) 49
Hemingway, A.L., see Higgins, S.J. (76) 55
Henquin, J.-C., see Debuyser, A. (78) 179
Herman, B., see Pennybacker, M. (80) 11

Hesch, R.D., see Brabant, G. (82) R7
Hescheler, J., see Scherübl, H. (82) 293
Higgins, S.J. and Hemingway, A.L.
Effects of androgens on the transcription of secretory protein genes in rat seminal vesicle (76) 55
Hillier, S.G., Yong, E.L., Illingworth, P.J., Baird, D.T., Schwall, R.H. and Mason, A.J.
Effect of recombinant inhibin on androgen synthesis in cultured human thecal cells (75) R1
Hillier, S.G., Yong, E.L., Illingworth, P.J., Baird, D.T., Schwall, R.H. and Mason, A.J.
Effect of recombinant inhibin on androgen synthesis in cultured human thecal cells (79) 177
Hipkin, R.W. and Moger, W.H.
Interaction between cyclic nucleotide second messenger systems in murine Leydig cells (82) 251
Hipkin, R.W. and Moger, W.H.
Type 1 and 2 isoenzymes of cAMP-dependent protein kinase in Leydig cell steroidogenesis (77) 91
Hiraoka, Y., Nomata, Y., Matsuo, K., Tsubota, N., Tanabe, K. and Fukasawa, T.
Efficient production of biologically active human prolactin in *Escherichia coli* (81) 147
Hiraoka, Y., Tatsumi, K., Shiozawa, M., Aiso, S., Fukasawa, T., Yasuda, K. and Miyai, K.
A placenta-specific 5′ non-coding exon of human prolactin (75) 71
Hoang-Vu, C., see Brabant, G. (82) R7
Hochhaus, G., see Ratka, A. (78) 155
Holland, L.J., see Bhattacharya, A. (75) 111
Holthuizen, P., see Van Dijk, M.A. (81) 81
Hoogerbrugge, J.W., see Melsert, R. (82) 23
Hoogerbrugge, J.W., see Themmen, A.P.N. (78) R7
Horiuchi, R., see Hattori, M.-a. (81) 69
Hornsby, P.J.
Genes, hormones, and aging (80) C175
Houdebine, L.M., see Devinoy, E. (81) 185
Howl, J., Kerr, I.D., Chan, C.H.W. and Wheatley, M.
A selective biotinylated probe for V_{1a} vasopressin receptors (77) 123
Hue, D., see Charlier, M. (76) 161
Hugues, J.-N., see Tahri-Joutei, A. (79) R21
Huhtaniemi, I. and Ritzén, E.M.
Summary of the 6th European Workshop on Molecular and Cellular Endocrinology of the Testis. Mariehamn, Åland, May 23–26, 1990 (75) 265
Hunzicker-Dunn, M., see DeManno, D.A. (80) 91
Hurwitz, S., see Granot, I. (80) 1
Hurwitz, S., see Halevy, O. (75) 229
Huttner, W.B., see Laverrière, J.N. (80) 41
Huxham, G.J., see Yap, A.S. (82) R1
Hymer, W.C., see Mukherjee, P. (76) 35

Ibuki, Y., see Nakamura, K. (82) 259
Igal, R.A., Mandon, E.C. and De Gómez Dumm, I.N.T.
Abnormal metabolism of polyunsaturated fatty acids in adrenal glands of diabetic rats (77) 217
Igarashi, M., see Nakamura, K. (82) 259
Illingworth, P.J., see Hillier, S.G. (75) R1
Illingworth, P.J., see Hillier, S.G. (79) 177
Imura, H., see Kosaki, A. (75) 189
Inoue, G., see Kosaki, A. (75) 189
Inoue, K., see Nagata, S. (82) 215
Iossa, S., Barletta, A. and Liverini, G.
The effect of thyroid state and cold exposure on rat liver oxidative phosphorylation (75) 15
Iwasiow, B., see Myal, Y. (80) 165

Jacobsen, B.P., see Sinha, Y.N. (80) 203
Jacquemin, C., see Delemer, B. (75) 123
Jakobs, K.H., see Reithmann, C. (82) C215
Jakubowiak, A., Janecki, A., Tong, D., Sanborn, B.M. and Steinberger, A.
Effects of recombinant human inhibin and testosterone on gonadotropin secretion and subunit mRNA in superfused male rat pituitary cell cultures stimulated with pulsatile gonadotropin-releasing hormone (82) 265
Jakubowiak, A., see Janecki, A. (82) 61
Jallal, B., see Genty, N. (76) 89
Jammes, H., Gaye, P., Belair, L. and Djiane, J.
Identification and characterization of growth hormone receptor mRNA in the mammary gland (75) 27
Janecki, A., Jakubowiak, A. and Steinberger, A.
Effects of cyclic AMP and phorbol ester on transepithelial electrical resistance of Sertoli cell monolayers in two-compartment culture (82) 61
Janecki, A., see Jakubowiak, A. (82) 265
Jang, Y.-J., see Nilsen-Hamilton, M. (77) 115
Jans, D.A., Jans, P., Luzius, H. and Fahrenholz, F.
Monensin-resistant LLC-PK_1 cell mutants are affected in recycling of the adenylate cyclase-stimulating vasopressin V_2-receptor (81) 165
Jans, P., see Jans, D.A. (81) 165
Jansen, E., Steenbergh, P.H., LeRoith, D., Roberts, Jr., C.T. and Sussenbach, J.S.
Identification of multiple transcription start sites in the human insulin-like growth factor-I gene (78) 115
Janssen, L.H.M., see Melsert, R. (82) 23
Jean, C., see Martinez, A. (76) 191
Jego, P., see Salbert, G. (76) 173
Jégou, B., see Gérard, N. (82) R13
Jehan, F., see Neveu, I. (78) R1
Jellinck, P.H., see Leiva, M.C. (81) 105
Ji, I., Slaughter, R.G., Ellis, J.A., Ji, T.H. and Murdoch, W.J.
Analyses of ovine corpora lutea for tumor necrosis factor mRNA and bioactivity during prostaglandin-induced luteolysis (81) 77
Ji, T.H., see Ji, I. (81) 77
Johansen, T.E., Schifter, S., Vogel, C.K., Tolstoy, S. and Schwartz, T.W.
Processing of pro-CGRP in a rat medullary thyroid carcinoma cell line transfected with protease inhibitors (82) 51
Johnstone, A.P., see Page, S.R. (82) 143
Jones, P.M., see O'Halloran, D.J. (75) C7
Jousset, U., see Besnard, P. (79) 45
Jung, J., see Trifiro, M. (75) 37

Kaipia, A., Parvinen, M., Shimasaki, S., Ling, N. and Toppari, J.
Stage-specific cellular regulation of inhibin α-subunit mRNA expression in the rat seminiferous epithelium (82) 165
Kakehi, T., see Kosaki, A. (75) 189
Kaplitt, M., see Mobbs, C.V. (80) C187
Katayama, T., Shiota, K. and Takahashi, M.
Effects of activin A on anterior pituitary cells fractionated by centrifugal elutriation (77) 167
Kaufman, K.D., Foti, D., Seto, P. and Rapoport, B.
Overexpression of an immunologically-intact, secreted form of human thyroid peroxidase in eukaryotic cells (78) 107
Kaufman, M., see Trifiro, M. (75) 37
Keech, C.A. and Gutierrez-Hartmann, A.
Insulin activation of rat prolactin promoter activity (78) 55
Keightley, M.-C., Funder, J.W. and Fuller, P.J.
Molecular cloning and sequencing of a guinea-pig pro-opiomelanocortin cDNA (82) 89
Kelly, P.A., see Dusanter-Fourt, I. (77) 181
Kerr, I.D., see Howl, J. (77) 123
Khan, S.A. and Nieschlag, E.
Interleukin-1 inhibits follitropin-induced aromatase activity in immature rat Sertoli cells in vitro (75) 1
Kiess, W., see Nissley, P. (75) 213
Kim, I., Manni, A., Lynch, J. and Hammond, J.M.
Identification and regulation of insulin-like growth factor binding proteins produced by hormone-dependent and -independent human breast cancer cell lines (78) 71
Kimata, Y., see Sakata, S. (79) 93
Klieber, R., see Schwarz, S. (80) 33
Koch, B. and Lutz-Bucher, B.
Inhibition of protein kinase C activity in cultured pituitary cells attenuates both cyclic AMP-independent and -dependent secretion of ACTH (77) 57
Koeffler, H.P., see Reichel, H. (75) 163
Koenig, R.J., see Rosen, E.D. (78) C83
Kohl, C., see McArdle, C.A. (78) 211
Köhrle, J., see Brabant, G. (82) R7
Kono, S., see Kosaki, A. (75) 189
Kopchick, J.J., see Coleman, T.A. (75) 91
Kosaki, A., Kuzuya, H., Nishimura, H., Inoue, G., Okamoto, M., Kakehi, T., Okamoto, M., Kono, S., Maeda, I., Kubota, M. and Imura, H.
Regulation of glucose transporter synthesis in cultured human skin fibroblasts (75) 189
Kostellow, A.B., see Chien, E.J. (81) 53
Kow, L.-M., see Mobbs, C.V. (80) C187
Kowalski, A., see Hainaut, P. (75) 133
Kraicer, J., see French, M.B. (79) 139
Krivi, G.G., see Lewis, U.J. (78) 45
Krongrad, A., Wilson, C.M., Wilson, J.D., Allman, D.R. and McPhaul, M.J.
Androgen increases androgen receptor protein while decreasing receptor mRNA in LNCaP cells (76) 79
Krozowski, Z.S., see Fullerton, M.J. (82) 33
Krude, H., see Schwarz, S. (80) 33
Krude, H., see Schwarz, S. (82) 71
Kubota, M., see Kosaki, A. (75) 189
Kuiper, G.G.J.M., De Ruiter, P.E., Grootegoed, J.A. and Brinkmann, A.O.
Synthesis and post-translational modification of the androgen receptor in LNCaP cells (80) 65
Kundu, G.C. and Misono, K.S.
Affinity labeling of endothelin receptors in bovine and rat lung membranes by $N^{\epsilon 9}$-azidobenzoyl-^{125}I-endothelin-1 (79) 85
Kuzuya, H., see Kosaki, A. (75) 189

Labbé-Jullié, C., see Papandréou, M.-J. (78) 137
Labrie, F.
Intracrinology (78) C113
Labrie, F., see Simard, J. (75) 101
Labuda, D., see Bouvier, C. (78) 33
Laburthe, M., see Grey, V. (75) 221
Lagacé, G., see Bouvier, C. (78) 33
Lagacé, G., see Bouvier, C. (79) 65
Laird, D.M., see Galosy, S.S. (78) 229
Lalloz, M.R.A., see Clayton, R.N. (80) 193
Lamb, D.J., Spotts, G.S., Shubhada, S. and Baker, K.R.
Partial characterization of a unique mitogenic activity secreted by rat Sertoli cells (79) 1
Lamberg-Allardt, C., Valtonen, E., Polojärvi, M. and Stewen, P.
Characterization of a 1,25-dihydroxy-vitamin D_3 receptor in FRTL-5 cells. Evidence for an inhibitory effect of 1,25-dihydroxy-vitamin D_3 on thyrotropin-induced iodide uptake (81) 25
Lamy, F., see Coclet, J. (76) 135
Langlois, D., see Ouali, R. (81) 43
Larsen, D., see Roby, K.F. (79) 13
Larsen, P.R. and Warne, R.
Antiestrogens stimulate expression of transiently transfected and endogenous genes in rat pituitary tumor cell lines (77) 133
Larson, I.W., see Rourke, K.A. (81) 127
Lasdun, A., see Pierotti, A.R. (76) 95
Lasnier, F., see Antras, J. (82) 183
Laurent, E., see Mockel, J. (82) 221
Laurent, E., see Raspé, E. (81) 175
Laverrière, J.N., Richard, J.L., Morin, A., Buisson, N., Tixier-Vidal, A., Huttner, W.B. and Gourdji, D.
Secretogranin I (chromogranin B) mRNA accumulation is hormonally regulated in GH3B6 rat pituitary tumor cells (80) 41
Lecerf, L., see Habert, R. (82) 199
Lee, L., see Nissley, P. (75) 213
Leer, L.M., Cammenga, M., Van der Vorm, E.R. and De Vijlder, J.J.M.
Methimazole increases thyroid-specific mRNA concentration in human thyroid cells and FRTL-5 cells (78) 221
Leer, L.M., Cammenga, M. and De Vijlder, J.J.M.
Methimazole and propylthiouracil increase thyroglobulin gene expression in FRTL-5 cells (82) R25

Lefèvre, A., Astraudo, C. and Finaz, C.
Inhibition of luteinizing hormone-human chorionic gonadotropin binding by retinoids in a Leydig cell line (76) 115
Le Gac, F., see Pakdel, F. (75) 205
Le Goff, P., see Salbert, G. (76) 173
Legros, J.-J., see Geenen, V. (76) C27
Lehoux, J.-G., Grondin, F., Pacuraru, J.-P. and Yachaoui, Y.
The protein kinase C content is increased in the nuclear fraction of rat adrenal zona glomerulosa following long-term ACTH administration (78) 97
Lehoux, J.-G., see Bélisle, S. (76) 63
Leiva, M.C., Lyttle, C.R. and Jellinck, P.H.
Complement C3 synthesis, peroxidase activity and eosinophil chemotaxis in the rat uterus: effect of estradiol and testosterone (81) 105
Lejeune, C., see Mockel, J. (82) 221
Lejeune, P.-J., see Marriq, C. (81) 155
Le Marchand-Brustel, Y., see Hainaut, P. (75) 133
Le Menn, F., see Pakdel, F. (75) 205
Lenard, J., see Muthukumar, G. (82) 275
Leonardi, A., see Acquaviva, R. (82) 175
Leong, D.A., see Flores, J.A. (81) 1; (82) 329
LeRoith, D. and Roberts, Jr., C.T.
Insulin-like growth factor I (IGF-I): a molecular basis for endocrine versus local action? (77) C57
LeRoith, D., see Jansen, E. (78) 115
Lewis, L.J., see Lewis, U.J. (78) 45
Lewis, U.J., Lewis, L.J., Salem, M.A.M., Staten, N.R., Galosy, S.S. and Krivi, G.G.
A recombinant-DNA-derived modification of human growth hormone (hGH_{44-191}) with enhanced diabetogenic activity (78) 45
Lewis, U.J., see Sinha, Y.N. (80) 203
Lewitt, M.S. and Baxter, R.C.
Cytochalasin B stimulates insulin-like growth factor-binding protein-1 production by Hep G2 cells (77) 149
Lewitt, M.S. and Baxter, R.C.
Insulin-like growth factor-binding protein-1: a role in glucose counterregulation? (79) C147
Liao, S., see Trifiro, M. (75) 37
Lin, T., Guo, H., Calkins, J.H., Wang, D. and Chi, R.
Recombinant monocyte-derived interleukin-1 receptor antagonist reverses inhibitory effects of interleukin-1 on Leydig cell steroidogenesis (78) 205
Ling, N., see Kaipia, A. (82) 165
Lippman, M.E., see Thompson, E.W. (82) C203
Liverini, G., see Iossa, S. (75) 15
Loos, U., Clement, J., Behr, M. and Fischer, S.
Expression of S14-mRNA and its translational product in differentiating 3T3-L1 cells (75) R7
Lopez-Ruiz, M.P., see West, A.P. (77) R7
Lopez, S., Burlet, H. and Desbuquois, B.
Mechanisms of up-regulation of the liver insulin receptor in chronically hypoinsulinemic rats: assessment of receptor endocytosis (82) 159
Lorence, M.C., Naville, D., Graham-Lorence, S.E., Mack, S.O., Murry, B.A., Trant, J.M. and Mason, J.I.
3β-Hydroxysteroid dehydrogenase/$\Delta^{5\rightarrow4}$-isomerase expression in rat and characterization of the testis isoform (80) 21
Lorenzini, E.C., see Scalabrino, G. (77) 1
Lorenzini, E.C., see Scalabrino, G. (77) 37
Lottersberger, C., see Schwarz, S. (80) 33
Low, K.G., see Simard, J. (75) 101
Lowe, K.E., see Boland, R. (75) 57
Lund, T., see Mullis, P.E. (76) 125
Lussier, B.T., see French, M.B. (79) 139
Lutz-Bucher, B., see Koch, B. (77) 57
Luzius, H., see Jans, D.A. (81) 165
Lynch, J., see Kim, I. (78) 71
Lyttle, C.R., see Leiva, M.C. (81) 105

Mack, S.O., see Lorence, M.C. (80) 21
Mackin, R.B., see Roth, W.W. (78) 171
Maeda, I., see Kosaki, A. (75) 189
Maekawa, H., see Sakata, S. (79) 93
Maenhaut, C., see Brabant, G. (82) R7
Mäenpää, P.H., see Pirskanen, A. (76) 149
Magous, R., see Roche, S. (77) 109
Mahfoudi, A., Beck, L., Nicollier, M., Coosemans, V. and Adessi, G.L.
Progesterone effect on intracellular inorganic sulphate in uterine epithelial cells (79) R15
Mahonen, A., see Pirskanen, A. (76) 149
Maier, R., Schmid, P., Cox, D., Bilbe, G. and McMaster, G.K.
Localization of transforming growth factor-β1, -β2 and -β3 gene expression in bovine mammary gland (82) 191
Maiyar, A.C., Minghetti, P.P. and Norman, A.W.
Transfection of avian vitamin D-dependent calbindin-D_{28K} 5′ flanking promoter sequence in primary chick kidney cells (78) 127
Majercik, M.H. and Puett, D.
Epidermal growth factor modulates intracellular arachidonic acid levels in MA-10 cultured Leydig tumor cells (75) 247
Malaisse, W.J., see Sener, A. (76) 1
Malassiné, A., see Alsat, E. (77) 97
Maliénou-N'Gassa, R., see Devinoy, E. (81) 185
Malik, T., see Hedeskov, C.J. (78) 187
Malik, T., see Hedeskov, C.J. (82) 81
Maminta, M.L.D., Molteni, A. and Rosen, S.T.
Stable expression of the human estrogen receptor in HeLa cells by infection: effect of estrogen on cell proliferation and c-*myc* expression (78) 61
Mandon, E.C., see Igal, R.A. (77) 217
Manley, S.W., see Yap, A.S. (82) R1
Manni, A., see Kim, I. (78) 71
Marriq, C., Lejeune, P.-J., Venot, N. and Vinet, L.
Hormone formation in the isolated fragment 1–171 of human thyroglobulin involves the couple tyrosine 5 and tyrosine 130 (81) 155
Martal, J., see Charlier, M. (76) 161
Martens, H., see Geenen, V. (76) C27
Martial, J., see Geenen, V. (76) C27

Martial, J.A., see Berwaer, M. (80) 53
Martinez, A., Pailhoux, E. and Jean, C.
Androgen dependence during development of the mouse vas deferens protein mRNA (76) 191
Masaki, T., see Usuki, S. (80) 147
Mason, A.J., see Hillier, S.G. (75) R1
Mason, A.J., see Hillier, S.G. (79) 177
Mason, J.I., see Lorence, M.C. (80) 21
Mason, J.I., see Naville, D. (75) 257
Mathy-Hartert, M., see Berwaer, M. (80) 53
Matsuda, M., see Sakata, S. (79) 93
Matsumoto, H., see Usuki, S. (80) 147
Matsuo, K., see Hiraoka, Y. (81) 147
Mauchamp, J., see Gruffat, D. (81) 195
McArdle, C.A., Kohl, C., Rieger, K., Gröner, I. and Wehrenberg, U.
Effects of gonadotropins, insulin and insulin-like growth factor I on ovarian oxytocin and progesterone production (78) 211
McChesney, R., Sealfon, S.C., Tsutsumi, M., Dong, K.W., Roberts, J.L. and Bancroft, C.
Either isoform of the dopamine D_2 receptor can mediate dopaminergic repression of the rat prolactin promoter (79) R1
McMaster, G.K., see Maier, R. (82) 191
McPhaul, M.J., see Krongrad, A. (76) 79
Medri, G., see Papandréou, M.-J. (78) 137
Meier, D.A. and Gorski, J.
Differential binding of GH_3 and pituitary protein extracts to the estrogen-dependent enhancer of the rat prolactin gene (75) 19
Meizel, S. and Turner, K.O.
Progesterone acts at the plasma membrane of human sperm (77) R1
Melner, M.H., see Simard, J. (75) 101
Melsert, R., Bos, O.J.M., Van der Linden, R.F., Fischer, M.J.E., Wilting, J., Janssen, L.H.M., Hoogerbrugge, J.W. and Rommerts, F.F.G.
The stimulatory effect of albumin on luteinizing hormone-stimulated Leydig cell steroid production depends on its fatty acid content and correlates with conformational changes (82) 23
Menendez-Pelaez, A., Rodriguez, C. and Dominguez, P.
5-Aminolevulinate synthase mRNA levels in the Harderian gland of Syrian hamsters: correlation with porphyrin concentrations and regulation by androgens and melatonin (80) 177
Merz, W.E., see Schwarz, S. (80) 33
Mester, J., see Buchou, T. (75) 181
Mibe, M., see Nagai, K. (80) 153
Michael, A.E. and Webley, G.E.
Prostaglandin $F_{2\alpha}$ stimulates cAMP phosphodiesterase via protein kinase C in cultured human granulosa cells (82) 207
Milgrom, E., see Bailly, A. (82) 313
Milgrom, E., see Savouret, J.-F. (75) 157
Millar, R.P., see Davidson, J. (76) C33
Miller, R.E., see Bhandari, B. (76) 71
Milliken, C., see Wagner, G.F. (79) 129
Minegishi, T., see Nakamura, K. (82) 259
Minghetti, P.P., see Boland, R. (75) 57
Minghetti, P.P., see Maiyar, A.C. (78) 127
Misono, K.S., see Kundu, G.C. (79) 85
Misrahi, M., see Savouret, J.-F. (75) 157
Miyai, K., see Hiraoka, Y. (75) 71
Miyamoto, K., see Nakamura, K. (82) 259
Mo, F.-E., see Wang, F.-F. (82) 117
Mobbs, C.V., Kaplitt, M., Kow, L.-M. and Pfaff, D.W.
PLC-α: a common mediator of the action of estrogen and other hormones? (80) C187
Mockel, J., Laurent, E., Lejeune, C. and Dumont, J.E.
Thyrotropin does not activate the phosphatidylinositol bisphosphate hydrolyzing phospholipase C in the dog thyroid (82) 221
Moger, W.H., see Hipkin, R.W. (77) 91
Moger, W.H., see Hipkin, R.W. (82) 251
Molineaux, C.J., see Pierotti, A.R. (76) 95
Molteni, A., see Maminta, M.L.D. (78) 61
Monder, C.
Corticosteroids, kidneys, sweet roots and dirty drugs (78) C95
Monget, P., see Berwaer, M. (80) 53
Moor, B.C., see French, M.B. (79) 139
Mori, N., see Nagai, K. (80) 153
Morin, A., see Laverrière, J.N. (80) 41
Morin, C., see Grey, V. (75) 221
Morley, P., Schwartz, J.L., Whitfield, J.F. and Tsang, B.K.
Role of chloride ions in progesterone production by chicken granulosa cells (82) 107
Mornex, R., see Rousset, B. (78) C89
Morrill, G.A., see Chien, E.J. (81) 53
Morris, B.J.
Molecular genetics links renin to hypertension (75) C13
Morris, B.J., see Smith, D.L. (80) 139
Morris, D.J., see Davis, E.A. (78) 1
Morris, P.L., see Zwain, I.H. (80) 115
Moser, D.R., see Bhattacharya, A. (75) 111
Mossmann, H., see Schmitt-Wrede, H.-P. (76) 207
Mukherjee, P., Salada, T. and Hymer, W.C.
Function of prolactin cells in the individual rat pituitary gland is location dependent (76) 35
Müller, J.
Aldosterone biosynthesis in bovine, rat and human adrenal: commonalities and challenges (78) C119
Mulligan, L., see Goodyer, P.R. (77) 199
Mullis, P.E., Lund, T., Patel, M.S., Brook, C.G.D. and Brickell, P.M.
Regulation of human growth hormone receptor gene expression by human growth hormone in a human hepatoma cell line (76) 125
Mundy, G.R.
Is prolonged stimulation of bone growth a therapeutic possibility? (75) C19
Murdoch, F.E. and Gorski, J.
The role of ligand in estrogen receptor regulation of gene expression (78) C103

Murdoch, W.J., see Ji, I. (81) 77
Murry, B.A., see Lorence, M.C. (80) 21
Muthukumar, G. and Lenard, J.
A preproinsulin-like pseudogene from *Neurospora crassa* (82) 275
Myal, Y., Robinson, D.B., Iwasiow, B., Tsuyuki, D., Wong, P. and Shiu, R.P.C.
The prolactin-inducible protein (*PIP*/GCDFP-15) gene: cloning, structure and regulation (80) 165

Nabekura, H., see Nagai, K. (80) 153
Nagai, K., Nabekura, H., Mibe, M., Ohshige, T. and Mori, N.
Prostaglandin dehydrogenase activity in placenta and in maternal lung, kidney, and gastric mucosa during rat pregnancy (80) 153
Nagata, S., Inoue, K. and Senshu, T.
Estrogen–insulin synergism in induction of prolactin in growth hormone-producing cells (82) 215
Nakamura, K., Minegishi, T., Takakura, Y., Miyamoto, K., Hasegawa, Y., Ibuki, Y. and Igarashi, M.
Hormonal regulation of gonadotropin receptor mRNA in rat ovary during follicular growth and luteinization (82) 259
Naor, Z.
Is arachidonic acid a second messenger in signal transduction? (80) C181
Nault, C., see Chevrier, D. (79) 109
Naville, D., Rainey, W.E. and Mason, J.I.
Corticotropin regulation of 3β-hydroxysteroid dehydrogenase/$\Delta^{5\rightarrow4}$-isomerase in ovine adrenocortical cells: inhibition by transforming growth factor β (75) 257
Naville, D., see Lorence, M.C. (80) 21
Nawata, H., see Ogo, A. (76) 7
Nawata, H., see Ogo, A. (80) 83
Nemere, I. and Norman, A.W.
Redistribution of cathepsin B activity from the endosomal-lysosomal pathway in chick intestine within 3 min of calcium absorption (78) 7
Nemere, I. and Norman, A.W.
Steroid hormone actions at the plasma membrane: induced calcium uptake and exocytotic events (80) C165
Neveu, I., Barbot, N., Jehan, F., Wion, D. and Brachet, P.
Antagonistic effects of dexamethasone and 1,25-dihydroxyvitamin D_3 on the synthesis of nerve growth factor (78) R1
Nicollier, M., see Mahfoudi, A. (79) R15
Nieschlag, E., see Khan, S.A. (75) 1
Nilsen-Hamilton, M., Jang, Y.-J., Delgado, M., Shim, J.-K., Bruns, K., Chiang, C.-P., Fang, Y., Parfett, C.L.J., Denhardt, D.T. and Hamilton, R.T.
Regulation of the expression of mitogen-regulated protein (MRP; proliferin) and cathepsin L in cultured cells and in the murine placenta (77) 115
Nishimura, H., see Kosaki, A. (75) 189
Nissley, P., Lee, L. and Kiess, W.
Evidence against a role for insulin-like growth factor II in the autonomous growth of rat 18,54-SF cells (75) 213
Noe, B.D., see Roth, W.W. (78) 171
Nomata, Y., see Hiraoka, Y. (81) 147
Norman, A.W., see Boland, R. (75) 57
Norman, A.W., see Maiyar, A.C. (78) 127
Norman, A.W., see Nemere, I. (78) 7
Norman, A.W., see Nemere, I. (80) C165
Norman, A.W., see Reichel, H. (75) 163
Nussey, S.S., see Page, S.R. (82) 143
Nyman, T., see Pekonen, F. (75) 81

O'Donnell, A.L., see Rosen, E.D. (78) C83
Ogawa, T., see Sakata, S. (79) 93
Ogo, A., Haji, M., Ohashi, M. and Nawata, H.
Expression of cytochrome *P*-450 mRNAs in steroidogenesis of adrenocortical adenomas from patients with primary aldosteronism (76) 7
Ogo, A., Haji, M., Ohashi, M. and Nawata, H.
Markedly increased expression of cytochrome *P*-450 17α-hydroxylase (P-450_{c17}) mRNA in adrenocortical adenomas from patients with Cushing's syndrome (80) 83
O'Halloran, D.J., Jones, P.M. and Bloom, S.R.
Neuropeptides synthesised in the anterior pituitary: possible paracrine role (75) C7
Ohashi, M., see Ogo, A. (76) 7
Ohashi, M., see Ogo, A. (80) 83
Ohshige, T., see Nagai, K. (80) 153
Okamoto, M., see Kosaki, A. (75) 189
Okamoto, M., see Kosaki, A. (75) 189
Okuda, K., see Sakata, S. (79) 93
Ollivier-Bousquet, M., Radvanyi, F. and Bon, C.
Crotoxin, a phospholipase A_2 neurotoxin from snake venom, interacts with epithelial mammary cells, is internalized and induces secretion (82) 41
O'Mahoney, J.V., Brandon, M.R. and Adams, T.E.
Developmental and tissue-specific regulation of ovine insulin-like growth factor II (IGF-II) mRNA expression (78) 87
O'Neal, K.D., Schwarz, L.A. and Yu-Lee, L.-y.
Prolactin receptor gene expression in lymphoid cells (82) 127
Onoda, M., Djakiew, D. and Papadopoulos, V.
Pachytene spermatocytes regulate the secretion of Sertoli cell protein(s) which stimulate Leydig cell steroidogenesis (77) 207
Orme-Johnson, N.R., see Epstein, L.F. (81) 113
Osathanondh, R., see Yeh, J. (80) 75
Ouali, R., Langlois, D., Saez, J.M. and Begeot, M.
Opposite effects of angiotensin-II and corticotropin on bovine adrenocortical cell steroidogenic responsiveness (81) 43

Pacuraru, J.-P., see Lehoux, J.-G. (78) 97
Padmanabhan, V., Sairam, M.R., Hassing, J.M., Brown, M.B., Ridings, J.W. and Beitins, I.Z.
Follicle-stimulating hormone signal transduction: role of carbohydrate in aromatase induction in immature rat Sertoli cells (79) 119
Page, S.R., Taylor, A.H., Whitley, G.S.J., Johnstone, A.P. and Nussey, S.S.
Effects of ageing on the growth and differentiated function of transfected human thyrocytes (82) 143

Pailhoux, E., see Martinez, A. (76) 191
Pairault, J., see Antras, J. (82) 183
Pakala, R., see Sirbasku, D.A. (77) C47
Pakdel, F., Féon, S., Le Gac, F., Le Menn, F. and Valotaire, Y.
In vivo estrogen induction of hepatic estrogen receptor mRNA and correlation with vitellogenin mRNA in rainbow trout (75) 205
Papadopoulos, V., see Onoda, M. (77) 207
Papandréou, M.-J., Sergi, I., Medri, G., Labbé-Jullié, C., Braun, J.M., Canonne, C. and Ronin, C.
Differential effect of glycosylation on the expression of antigenic and bioactive domains in human thyrotropin (78) 137
Parfett, C.L.J., see Nilsen-Hamilton, M. (77) 115
Parmentier, M., see Themmen, A.P.N. (78) R7
Parvinen, M., see Kaipia, A. (82) 165
Patel, M.S., see Mullis, P.E. (76) 125
Paulssen, E.J., Paulssen, R.H., Haugen, T.B., Gautvik, K.M. and Gordeladze, J.O.
Cell specific distribution of guanine nucleotide-binding regulatory proteins in rat pituitary tumour cell lines (76) 45
Paulssen, R.H., see Paulssen, E.J. (76) 45
Peers, B., see Berwaer, M. (80) 53
Pekonen, F., Nyman, T. and Rutanen, E.-M.
Human endometrial adenocarcinoma cell lines HEC 1B and KLE secrete insulin-like growth factor binding protein-1 and contain IGF-I receptors (75) 81
Pelosin, J.-M., Ricouart, A., Sergheraert, C., Benahmed, M. and Chambaz, E.M.
Expression of protein kinase C isoforms in various steroidogenic cell types (75) 149
Pennybacker, M. and Herman, B.
Follicle-stimulating hormone increases c-fos mRNA levels in rat granulosa cells via a protein kinase C-dependent mechanism (80) 11
Penschow, J.D., Drinkwater, C.C., Haralambidis, J. and Coghlan, J.P.
Sites of expression and induction of glandular kallikrein gene expression in mice (81) 135
Periman, L.M., see Simard, J. (75) 101
Petraglia, F.
Placental neurohormones: secretion and physiological implications (78) C109
Pétridou, B., see Dusanter-Fourt, I. (77) 181
Pfaff, D.W., see Mobbs, C.V. (80) C187
Phan-Dinh-Tuy, F., see Buchou, T. (75) 181
Pierotti, A.R., Lasdun, A., Ayala, J.M., Roberts, J.L. and Molineaux, C.J.
Endopeptidase-24.15 in rat hypothalamic/pituitary/gonadal axis (76) 95
Pines, M., see Granot, I. (80) 1
Pines, M., see Halevy, O. (75) 229
Pinsky, L., see Trifiro, M. (75) 37
Pinto, F., see Acquaviva, R. (82) 175
Pirskanen, A., Mahonen, A. and Mäenpää, P.H.
Modulation of $1,25(OH)_2D_3$-induced osteocalcin synthesis in human osteosarcoma cells by other steroidal hormones (76) 149
Pointis, G., see Tahri-Joutei, A. (79) R21
Polojärvi, M., see Lamberg-Allardt, C. (81) 25
Post, M., see Themmen, A.P.N. (78) R7
Prime, S., see Wyllie, F.S. (76) 13
Prior, L., see Trifiro, M. (75) 37
Puett, D., see El-Deiry, S. (76) 105
Puett, D., see Majercik, M.H. (75) 247
Puissant, C., see Devinoy, E. (81) 185

Racine, C., see Roy, P. (82) 237
Radvanyi, F., see Ollivier-Bousquet, M. (82) 41
Rainey, W.E., Byrd, E.W., Sinnokrot, R.A. and Carr, B.R.
Angiotensin-II activation of cAMP and corticosterone production in bovine adrenocortical cells: effects of nonpeptide angiotensin-II antagonists (81) 33
Rainey, W.E., see Naville, D. (75) 257
Rapoport, B., see Kaufman, K.D. (78) 107
Raspé, E., Laurent, E., Andry, G. and Dumont, J.E.
ATP, bradykinin, TRH and TSH activate the Ca^{2+}-phosphatidylinositol cascade of human thyrocytes in primary culture (81) 175
Ratka, A., Hochhaus, G., Wissler, R.N. and Simpkins, J.W.
cAMP accumulation in opioid-sensitive SH-SY5Y neuroblastoma cells is modified by estradiol and progesterone (78) 155
Rauch, C., see Bailly, A. (82) 313
Reaves, B.J. and Dannies, P.S.
Is a sorting signal necessary to package proteins into secretory granules? (79) C141
Reichel, H., Bishop, J.E., Koeffler, H.P. and Norman, A.W.
Evidence for 1,25-dihydroxyvitamin D_3 production by cultured porcine alveolar macrophages (75) 163
Reichert, Jr., L.E., see Grasso, P. (78) 163
Reichert, Jr., L.E., see Santa-Coloma, T.A. (78) 197
Reiter, R.J.
Melatonin: the chemical expression of darkness (79) C153
Reithmann, C., Gierschik, P., Werdan, K. and Jakobs, K.H.
Role of inhibitory G protein α-subunits in adenylyl cyclase desensitization (82) C215
Rhode, P.R. and Gorski, J.
Growth and cell cycle regulation of mRNA levels in GH_3 cells (82) 11
Rhode, P.R. and Gorski, J.
Inhibitory effects of serum and stimulatory effects of estrogen on prolactin mRNA levels in GH_3 rat pituitary tumor cells (82) 1
Richard, D.S., see Altaratz, M. (81) 205
Richard, J.L., see Laverrière, J.N. (80) 41
Richards, J.A.S., see Sridaran, R. (77) 75
Rickaert, F., see Coclet, J. (76) 135
Ricouart, A., see Pelosin, J.-M. (75) 149
Ridings, J.W., see Padmanabhan, V. (79) 119
Rieger, K., see McArdle, C.A. (78) 211
Riegman, P.H.J., Vlietstra, R.J., Van der Korput, H.A.G.M., Romijn, J.C. and Trapman, J.

Identification and androgen-regulated expression of two major human glandular kallikrein-1 (hGK-1) mRNA species (76) 181
Risbridger, G.P., see Simpson, B.J.B. (75) 49
Ritzén, E.M., see Huhtaniemi, I. (75) 265
Robert, F., see Geenen, V. (76) C27
Roberts, J.L., see Clayton, R.N. (80) 193
Roberts, J.L., see McChesney, R. (79) R1
Roberts, J.L., see Pierotti, A.R. (76) 95
Roberts, Jr., C.T., see Jansen, E. (78) 115
Roberts, Jr., C.T., see LeRoith, D. (77) C57
Roberts, L.R., see Bhattacharya, A. (75) 111
Robinson, D.B., see Myal, Y. (80) 165
Roby, K.F., Larsen, D., Deb, S. and Soares, M.J.
Generation and characterization of antipeptide antibodies to rat cytochrome *P*-450 side-chain cleavage enzyme (79) 13
Roche, S., Gusdinar, T., Bali, J.-P. and Magous, R.
Relationship between inositol 1,4,5-trisphosphate mass level and [^{14}C]aminopyrine uptake in gastrin-stimulated parietal cells (77) 109
Rodriguez, C., see Menendez-Pelaez, A. (80) 177
Roger, P.P., see Coclet, J. (76) 135
Romijn, J.C., see Riegman, P.H.J. (76) 181
Rommerts, F.F.G., see Melsert, R. (82) 23
Ronin, C., see Papandréou, M.-J. (78) 137
Rosen, E.D., O'Donnell, A.L. and Koenig, R.J.
Protein–protein interactions involving erbA superfamily receptors: through the TRAPdoor (78) C83
Rosen, S.T., see Maminta, M.L.D. (78) 61
Roth, W.W., Mackin, R.B., Spiess, J., Goodman, R.H. and Noe, B.D.
Primary structure and tissue distribution of anglerfish carboxypeptidase H (78) 171
Rourke, K.A., Bergstrom, J.M., Larson, I.W. and Colby, H.D.
Mechanism of action of spironolactone on cortisol production by guinea pig adrenocortical cells (81) 127
Rousset, B. and Mornex, R.
The thyroid hormone secretory pathway — current dogmas and alternative hypotheses (78) C89
Rouyer-Fessard, C., see Grey, V. (75) 221
Roy, P., Chevrier, D., Fournier, H., Racine, C., Zollinger, M., Crine, P. and Boileau, G.
Investigation of a possible role of the amino-terminal pro-region of proopiomelanocortin in its processing and targeting to secretory granules (82) 237
Rui, H., see Crowe, P.D. (79) 29
Rutanen, E.-M., see Pekonen, F. (75) 81

Saez, J.M., see Ouali, R. (81) 43
Saini, K.S., see Bhandari, B. (76) 71
Sairam, M.R., see Padmanabhan, V. (79) 119
Sakal, E., see Shechter, Y. (80) 183
Sakata, S., Ogawa, T., Kimata, Y., Takuno, H., Maekawa, H., Matsuda, M., Tarutani, O. and Okuda, K.
Synthesis and examination of antigenicity of four hormonogenic sites and two non-hormonogenic sites of human thyroglobulin (79) 93
Salada, T., see Mukherjee, P. (76) 35
Salbert, G., Bonnec, G., Le Goff, P., Boujard, D., Valotaire, Y. and Jego, P.
Localization of the estradiol receptor mRNA in the forebrain of the rainbow trout (76) 173
Salem, M.A.M., see Lewis, U.J. (78) 45
Salesse, R., see Genty, N. (76) 89
Saltiel, A.R. and Decker, S.J.
Diversity in cellular signaling for nerve growth factor and insulin: variations on a common theme (81) C197
Salton, S.R.J., see Clayton, R.N. (80) 193
Salvatore, D., see Acquaviva, R. (82) 175
Sanborn, B.M., see Jakubowiak, A. (82) 265
Santa-Coloma, T.A., Crabb, J.W. and Reichert, Jr., L.E.
A synthetic peptide encompassing two discontinuous regions of hFSH-β subunit mimics the receptor binding surface of the hormone (78) 197
Santa-Coloma, T.A., see Grasso, P. (78) 163
Sato, H., see Sirbasku, D.A. (77) C47
Sato, N., Wang, X. and Greer, M.A.
Dopamine inhibits cell swelling-induced prolactin secretion in MMQ cells by blocking Ca^{2+} influx (82) 99
Sato, N., Wang, X. and Greer, M.A.
Medium hyperosmolarity depresses thyrotropin-releasing hormone-induced Ca^{2+} influx and prolactin secretion in GH_4C_1 cells (77) 193
Saunier, B., see Delemer, B. (75) 123
Savouret, J.-F., Fridlanski, F., Atger, M., Misrahi, M., Berger, R. and Milgrom, E.
Origin of the high constitutive level of progesterone receptor in T47-D breast cancer cells (75) 157
Scalabrino, G. and Lorenzini, E.C.
Polyamines and mammalian hormones. Part II: Paracrine signals and intracellular regulators (77) 37
Scalabrino, G., Lorenzini, E.C. and Ferioli, M.E.
Polyamines and mammalian hormones. Part I: Biosynthesis, interconversion and hormone effects (77) 1
Schal, C., see Chiang, A.-S. (75) 141
Scherübl, H., Schultz, G. and Hescheler, J.
Electrophysiological properties of rat calcitonin-secreting cells (82) 293
Scheumann, G., see Brabant, G. (82) R7
Schifter, S., see Johansen, T.E. (82) 51
Schindler, D., see Halevy, O. (75) 229
Schmid, P., see Maier, R. (82) 191
Schmitt-Wrede, H.-P., Fiebig, S., Wunderlich, F., Benten, W.P.M., Bettenhäuser, U., Boden, K. and Mossmann, H.
Testosterone-induced susceptibility to *Plasmodium chabaudi* malaria: variant protein expression in functionally changed splenic non-T cells (76) 207
Schofield, J.G., see Shorte, S.L. (79) 167
Schultz, G., see Scherübl, H. (82) 293
Schwall, R.H., see Hillier, S.G. (75) R1
Schwall, R.H., see Hillier, S.G. (79) 177
Schwartz, J.L., see Morley, P. (82) 107
Schwartz, T.W., see Gether, U. (79) 53
Schwartz, T.W., see Johansen, T.E. (82) 51
Schwarz, L.A., see O'Neal, K.D. (82) 127

Schwarz, S., Krude, H., Klieber, R., Dirnhofer, S., Lottersberger, C., Merz, W.E., Wick, G. and Berger, P.
Number and topography of epitopes of human chorionic gonadotropin (hCG) are shared by desialylated and deglycosylated hCG (80) 33
Schwarz, S., Krude, H., Wick, G. and Berger, P.
Twelve of fourteen surface epitopes of receptor-bound human chorionic gonadotropin (hCG) being antibody-inaccessible suggest an extensive involvement of the long extracellular domain of the hCG receptor (82) 71
Scott, K.E., see Sinha, Y.N. (80) 203
Sealfon, S.C., see McChesney, R. (79) R1
Segal, D., see Altaratz, M. (81) 205
Selles, J. and Boland, R.
Evidence on the participation of the 3′,5′-cyclic AMP pathway in the non-genomic action of 1,25-dihydroxyvitamin D_3 in cardiac muscle (82) 229
Selles, J. and Boland, R.
Rapid stimulation of calcium uptake and protein phosphorylation in isolated cardiac muscle by 1,25-dihydroxyvitamin D_3 (77) 67
Sener, A. and Malaisse, W.J.
Hexose metabolism in pancreatic islets. Regulation of D-[6-^{14}C]glucose oxidation by non-nutrient secretagogues (76) 1
Senshu, T., see Nagata, S. (82) 215
Sergheraert, C., see Pelosin, J.-M. (75) 149
Sergi, I., see Papandréou, M.-J. (78) 137
Sergovich, F., see Trifiro, M. (75) 37
Serio, M. and Fiorelli, G.
Dual control by androgens and peptide growth factors of prostatic growth in human benign prostatic hyperplasia (78) C77
Seth, P.K. and Bahl, O.P.
Human choriogonadotropin-induced coupling of receptor and Gs protein and the effect of hormone deglycosylation (80) 105
Sethumadhavan, K., Bellino, F.L. and Thotakura, N.R.
Estrogen synthetase (aromatase). The cytochrome *P*-450 component of the human placental enzyme is a glycoprotein (78) 25
Seto, P., see Kaufman, K.D. (78) 107
Shechter, Y., Sakal, E., Cohen, R., Cohen-Chapnik, N. and Gertler, A.
Hydroxyphenyl acetate derivatives inhibit protein tyrosine kinase activity and proliferation in Nb2 rat lymphoma cells and insulin-induced lipogenesis in rat adipocytes (80) 183
Shepard, A.R., see Bhattacharya, A. (75) 111
Sheppard, M.C., see Williams, G.R. (80) 127
Sheridan, P.J.
Can a single androgen receptor fill the bill? (76) C39
Shim, J.-K., see Nilsen-Hamilton, M. (77) 115
Shimasaki, S., see Kaipia, A. (82) 165
Shiota, K., see Katayama, T. (77) 167
Shiozawa, M., see Hiraoka, Y. (75) 71
Shiu, R.P.C., see Myal, Y. (80) 165
Shorte, S.L. and Schofield, J.G.
Thyrotropin-releasing hormone-induced cytosolic calcium transients: characterisation of store refilling in bovine anterior pituitary cells (79) 167
Shubhada, S., see Lamb, D.J. (79) 1
Shull, J.D.
Transcription of sequences upstream of the rat prolactin gene suggests the existence of a second promoter (82) R17
Simard, J., Melner, M.H., Breton, N., Low, K.G., Zhao, H.-F., Periman, L.M. and Labrie, F.
Characterization of macaque 3β-hydroxy-5-ene steroid dehydrogenase/Δ^5-Δ^4 isomerase: structure and expression in steroidogenic and peripheral tissues in primate (75) 101
Simasko, S.M.
Effect of calcium on membrane potential behavior in a rat pituitary cell line (GH_3) (78) 79
Simpkins, J.W., see Ratka, A. (78) 155
Simpson, B.J.B., Risbridger, G.P., Hedger, M.P. and De Kretser, D.M.
The role of calcium in luteinizing hormone/human chorionic gonadotrophin stimulation of Leydig cell immunoactive inhibin secretion in vitro (75) 49
Singh, R.N.P., see Sinha, Y.N. (80) 203
Sinha, Y.N., DePaolo, L.V., Haro, L.S., Singh, R.N.P., Jacobsen, B.P., Scott, K.E. and Lewis, U.J.
Isolation and biochemical properties of four forms of glycosylated porcine prolactin (80) 203
Sinnett, D., see Bouvier, C. (78) 33
Sinnokrot, R.A., see Rainey, W.E. (81) 33
Sirbasku, D.A., Pakala, R., Sato, H. and Eby, J.E.
Thyroid hormone regulation of rat pituitary tumor cell growth: a new role for apotransferrin as an autocrine thyromedin (77) C47
Slaughter, R.G., see Ji, I. (81) 77
Smith, C.J., see Sridaran, R. (77) 75
Smith, D.L. and Morris, B.J.
Transient expression analyses of DNA extending 2.4 kb upstream of the human renin gene (80) 139
Soares, M.J., see Roby, K.F. (79) 13
Song, L.-N.
Stress-induced changes in glucocorticoid receptors: molecular mechanisms and clinical implications (80) C171
Sørnes, G., see Berg, J.P. (76) 201
Southard, J.N. and Talamantes, F.
Placental prolactin-like proteins in rodents: variations on a structural theme (79) C133
Spaliviero, J.A. and Handelsman, D.J.
Effect of epidermal and insulin-like growth factors on vectorial secretion of transferrin by rat Sertoli cells in vitro (81) 95
Spiess, J., see Roth, W.W. (78) 171
Spotts, G.S., see Lamb, D.J. (79) 1
Sridaran, R., Smith, C.J. and Richards, J.A.S.
Effects of in vivo dihydrotestosterone treatment on changes in nocturnal surge of prolactin, luteal ultrastructure and *P*-450$_{scc}$ mRNA and protein content in pregnant rats (77) 75
Staten, N.R., see Lewis, U.J. (78) 45
Steenbergh, P.H., see Jansen, E. (78) 115
Steinberger, A., see Jakubowiak, A. (82) 265

Steinberger, A., see Janecki, A. (82) 61
Stewen, P., see Lamberg-Allardt, C. (81) 25
Striem, S. and Bar, A.
Modulation of quail intestinal and egg shell gland calbindin (M_r 28,000) gene expression by vitamin D_3, 1,25-dihydroxyvitamin D_3 and egg laying (75) 169
Sussenbach, J.S., see Jansen, E. (78) 115
Sussenbach, J.S., see Van Dijk, M.A. (81) 81
Suzuki, N., see Usuki, S. (80) 147
Syed, V., see Gérard, N. (82) R13

Tahri-Joutei, A., Fillion, C., Bedin, M., Hugues, J.-N. and Pointis, G.
Local control of Leydig cell arginine vasopressin receptor by naloxone (79) R21
Takahashi, M., see Hattori, M.-a. (81) 69
Takahashi, M., see Katayama, T. (77) 167
Takakura, Y., see Nakamura, K. (82) 259
Takuno, H., see Sakata, S. (79) 93
Talamantes, F., see Southard, J.N. (79) C133
Tanabe, K., see Hiraoka, Y. (81) 147
Tarutani, O., see Sakata, S. (79) 93
Tatsumi, K., see Hiraoka, Y. (75) 71
Taylor, A.H., see Page, S.R. (82) 143
Thams, P., see Hedeskov, C.J. (78) 187
Thams, P., see Hedeskov, C.J. (82) 81
Themmen, A.P.N., Blok, L.J., Post, M., Baarends, W.M., Hoogerbrugge, J.W., Parmentier, M., Vassart, G. and Grootegoed, J.A.
Follitropin receptor down-regulation involves a cAMP-dependent post-transcriptional decrease of receptor mRNA expression (78) R7
Thépot, D., see Devinoy, E. (81) 185
Thompson, E.W., Lippman, M.E. and Dickson, R.B.
Regulation of basement membrane invasiveness in human breast cancer model systems (82) C203
Thotakura, N.R., see Sethumadhavan, K. (78) 25
Tixier-Vidal, A., see Laverrière, J.N. (80) 41
Tolstoy, S., see Johansen, T.E. (82) 51
Tong, D., see Jakubowiak, A. (82) 265
Toppari, J., see Kaipia, A. (82) 165
Torjesen, P.A., see Berg, J.P. (76) 201
Törnquist, K.
Calcium fluxes in rat thyroid FRTL-5 cells. Evidence for Ca^{2+} entry after stimulation with ATP (79) 147
Trant, J.M., see Lorence, M.C. (80) 21
Trapman, J., see Riegman, P.H.J. (76) 181
Trapman, J., see Trifiro, M. (75) 37
Trifiro, M., Gottlieb, B., Pinsky, L., Kaufman, M., Prior, L., Belsham, D.D., Wrogemann, K., Brown, C.J., Willard, H.F., Trapman, J., Brinkmann, A.O., Chang, C., Liao, S., Sergovich, F. and Jung, J.
The 56/58 kDa androgen-binding protein in male genital skin fibroblasts with a deleted androgen receptor gene (75) 37
Tsang, B.K., see Morley, P. (82) 107
Tsubota, N., see Hiraoka, Y. (81) 147
Tsutsumi, M., see McChesney, R. (79) R1
Tsuyuki, D., see Myal, Y. (80) 165
Turner, K.O., see Meizel, S. (77) R1

Usuki, S., Suzuki, N., Matsumoto, H., Yanagisawa, M. and Masaki, T.
Endothelin-1 in luteal tissue (80) 147

Vallotton, M.B.
The multiple faces of the vasopressin receptors (78) C73
Valotaire, Y., see Pakdel, F. (75) 205
Valotaire, Y., see Salbert, G. (76) 173
Valtonen, E., see Lamberg-Allardt, C. (81) 25
Van der Korput, H.A.G.M., see Riegman, P.H.J. (76) 181
Van der Linden, R.F., see Melsert, R. (82) 23
Van der Merwe, P.A., see Davidson, J. (76) C33
Vanderpas, J., see Contempré, B. (81) C193
Van der Vorm, E.R., see Leer, L.M. (78) 221
Van Dijk, M.A., Van Schaik, F.M.A., Bootsma, H.J., Holthuizen, P. and Sussenbach, J.S.
Initial characterization of the four promoters of the human insulin-like growth factor II gene (81) 81
Van Goor, F., see Chang, J.P. (79) 75
Van Obberghen, E., see Hainaut, P. (75) 133
Van Schaik, F.M.A., see Van Dijk, M.A. (81) 81
Vassart, G., see Brabant, G. (82) R7
Vassart, G., see Themmen, A.P.N. (78) R7
Veldhuis, J.D.
Temporal architecture of in vivo endocrine glandular signaling: obtaining a secretory blueprint by deconvolution analysis (77) C63
Veldhuis, J.D., see Flores, J.A. (81) 1; (82) 329
Venetianer, A., see Chasserot-Golaz, S. (82) 151
Venot, N., see Marriq, C. (81) 155
Vignolo, M., see Briata, P. (75) 9
Villa-Komaroff, L., see Yeh, J. (80) 75
Vinet, L., see Marriq, C. (81) 155
Vinggaard, A.M. and Hansen, H.S.
Phorbol ester and vasopressin activate phospholipase D in Leydig cells (79) 157
Vlietstra, R.J., see Riegman, P.H.J. (76) 181
Vogel, C.K., see Johansen, T.E. (82) 51
Vonderhaar, B.K. and Banerjee, R.
Is tamoxifen also an anti-lactogen? (79) C159
Von zur Mühlen, A., see Brabant, G. (82) R7
Voss, A.K. and Fortune, J.E.
Oxytocin stimulates progesterone production by bovine granulosa cells isolated before, but not after, the luteinizing hormone surge (78) 17

Wagner, G.F., Milliken, C., Friesen, H.G. and Copp, D.H.
Studies on the regulation and characterization of plasma stanniocalcin in rainbow trout (79) 129
Wakefield, I., see Davidson, J. (76) C33
Walker, A.M., see Balden, E. (77) 85
Wang, D., see Lin, T. (78) 205
Wang, F.-F., Mo, F.-E., Yen, Y.-T. and Fong, J.C.
Potentiation of thyrotropin-releasing hormone-stimulated prolactin mRNA levels in GH_3 cells by acetylcholine (82) 117

Wang, X., see Sato, N. (77) 193
Wang, X., see Sato, N. (82) 99
Warne, R., see Larsen, P.R. (77) 133
Webley, G.E., see Michael, A.E. (82) 207
Wehrenberg, U., see McArdle, C.A. (78) 211
Werdan, K., see Reithmann, C. (82) C215
West, A.P. and Cooke, B.A.
A novel method to modulate desensitization and truncation of luteinizing hormone receptors using antisense oligodeoxynucleotides (79) R9
West, A.P., Lopez-Ruiz, M.P. and Cooke, B.A.
Differences in LH receptor down-regulation between rat and mouse Leydig cells: effects of 3′,5′-cyclic AMP and phorbol esters (77) R7
Wheatley, M., see Howl, J. (77) 123
Whitfield, J.F., see Morley, P. (82) 107
Whitley, G.S.J., see Page, S.R. (82) 143
Wick, G., see Schwarz, S. (80) 33
Wick, G., see Schwarz, S. (82) 71
Widmaier, E.P.
Endocrine control of glucose homeostasis in mammals: food for thought (75) C1
Wildman, B., see Chang, J.P. (79) 75
Willard, H.F., see Trifiro, M. (75) 37
Williams, G.R., Franklyn, J.A. and Sheppard, M.C.
Thyroid hormone and glucocorticoid regulation of receptor and target gene mRNAs in pituitary GH_3 cells (80) 127
Wilson, C.M., see Krongrad, A. (76) 79
Wilson, J.D., see Krongrad, A. (76) 79
Wilting, J., see Melsert, R. (82) 23
Wion, D., see Neveu, I. (78) R1
Wissler, R.N., see Ratka, A. (78) 155
Wong, P., see Myal, Y. (80) 165
Wrogemann, K., see Trifiro, M. (75) 37
Wunderlich, F., see Schmitt-Wrede, H.-P. (76) 207
Wyllie, F.S., Dawson, T., Bond, J.A., Goretzki, P., Game, S., Prime, S. and Wynford-Thomas, D.
Correlated abnormalities of transforming growth factor-β1 response and p53 expression in thyroid epithelial cell transformation (76) 13
Wynford-Thomas, D., see Wyllie, F.S. (76) 13
Xiao, S. and Findlay, J.K.
Interactions between activin and follicle-stimulating hormone-suppressing protein and their mechanisms of action on cultured rat granulosa cells (79) 99
Yachaoui, Y., see Lehoux, J.-G. (78) 97
Yamaguchi, M.
Stimulatory effect of calcitonin on Ca^{2+} inflow in isolated rat hepatocytes (75) 65
Yanagisawa, M., see Usuki, S. (80) 147
Yap, A.S., Armstrong, J.W., Cragoe, Jr., E.J., Bourke, J.R., Huxham, G.J. and Manley, S.W.
Regulation of thyroid follicular volume by bidirectional transepithelial ion transport (82) R1
Yasuda, K., see Hiraoka, Y. (75) 71
Yeh, J., Danehy, F.T., Osathanondh, R. and Villa-Komaroff, L.
mRNAs for insulin-like growth factor-II (IGF-II) and variant IGF-II are co-expressed in human fetal ovary and uterus (80) 75
Yen, Y.-T., see Wang, F.-F. (82) 117
Yong, E.L., see Hillier, S.G. (75) R1
Yong, E.L., see Hillier, S.G. (79) 177
Yu-Lee, L.-y., see O'Neal, K.D. (82) 127

Zawalich, K.C., see Zawalich, W.S. (82) 303
Zawalich, W.S. and Zawalich, K.C.
Influence of staurosporine, nitrendipine and monooleoylglycerol on interleukin-1-induced insulin secretion and phosphoinositide hydrolysis (82) 303
Zhao, H.-F., see Simard, J. (75) 101
Zisapel, N., see Anis, Y. (76) 23
Zollinger, M., see Chevrier, D. (79) 109
Zollinger, M., see Roy, P. (82) 237
Zorn, N.E., see Crowe, P.D. (79) 29
Zwain, I.H., Morris, P.L. and Cheng, C.Y.
Identification of an inhibitory factor from a Sertoli clonal cell line (TM4) that modulates adult rat Leydig cell steroidogenesis (80) 115